

MID-CONTINENT ENERGY EXCHANGE

Oil & Gas Asset Auctions



Lot 6423 Data Packet

Lee #1H

Non-Op Working Interest in
Fayette County, TX

In this Document:

[Lot Summary](#)

[Income and Expenses](#)

[Production](#)

[Misc.](#)

[Outgoing Conveyance](#)



Summary

BidEx Lot #6423

Lease Name:	Lee #1H Non-Op WI
County/State:	Fayette, TX
Asset Type:	Partial Working Interest
Legal Description:	Samuel P. Brown, Abstract A-22
API:	42-149-32930
GWI:	0.050000
NRI:	0.037500
Net Monthly Income:	\$63.83
Operator:	Leexus Oil LLC
Purchaser:	ET Gathering and Processing LLC

Disclaimer: Bidders must conduct their own due diligence prior to bidding at the auction. Bidders shall rely upon their own evaluations of the properties and not upon any representation either oral or written provided here. This is a summary of information provided by the seller to Mid-Continent Energy Exchange.



Income and Expenses

Summary

4 months income/expense info

Total Income	\$477.15
Total Expenses	\$221.83
Net Income	\$255.32
Net Monthly Income	\$63.83

Statement Date	Net Income	Expenses	Net Cash Total
9/30/2025	\$111.08	\$55.05	\$56.03
8/31/2025	\$96.34	\$89.93	\$6.41
7/31/2025	\$193.55	\$21.80	\$171.75
6/30/2025	\$76.18	\$55.05	\$21.13
TOTALS	\$477.15	\$221.83	\$255.32
Monthly Average	\$119.29	\$55.46	\$63.83

Leexus Oil LLC
P.O. Box 726
Giddings, TX 78942
(979)542-3509

Settlement Statement

Account:

Date: 09/30/2025

Account: - Statement of Account:

Date	Reference	Description	Charges	Credits
07/31/2025		Balance Forward	89.93	
08/31/2025	RBU13990	Deduction from revenue check		(89.93)
		New Balance Forward	0.00	

Summary by Property:

Property#	Description	Net Income	Expenses	You Owe	Ck# 1000027024 Written to YOU for
LEE #1H	LEE #1H, FAYETTE COUNTY, TX	111.08	55.05		56.03
Totals:		111.08	55.05	0.00	56.03

For Inquiries about your account, please call (979) 542-3509, option 1, ext. 2.

Owner#:	Check#/Date	Gross Revenue:	Working	Royalty	Deductions	Withholding	Pmt Amount
	1000027024	Check Totals:	164.99		108.96		56.03
	09/30/2025	2025 Totals:	1,814.00		1,561.14		252.86

From: Leexus Oil LLC
To:

For Checks Dated 09/30/2025 and For Billing Dated 08/31/2025
Account: Page 2

Property: (LEE #1H) LEE #1H, FAYETTE COUNTY, TX County: FAYETTE, TX

API: 42-149-32930

Revenue:

Prd Date	Prod	Price Per	Volume/Share	Description	Property Amt	Your Share
07/2025	GAS	\$/MCF:2.67	1,646 /61.73	Gas Sales:	4,399.77	164.99
	Wrk NRI:	0.03750000		Gas Production Tax:	1.10-	0.04-
	ENERGY TRANSFER			Plant Other Deduction:	1,436.58-	53.87-
				Net Income:	2,962.09	111.08

Expenses:

Reference	Description	Deck/AFE	Invoice Amt	Total	Your Share
Operating Costs					
Pumper / Gauger					
27165	iWell/Field Data Capture & Production		11.00		
AUGUST 202	Pumper/Gauger		600.00	611.00	30.55
Administrative Overhead					
RBO53339	Administrative Overhead		350.00	350.00	17.50
Insurance					
RBO53340	Well Insurance		50.00	50.00	2.50
Salt Water Disposal					
WK083125-1	ADVANCE HYDROCARBON CORPORATION/DISPOSAL FEES - AUGUST 2025/SW DISP. 130 BBLS./INV.#WK083125-11 DATED 08/31/25		65.00	65.00	3.25
Miscellaneous					
RBO53341	Misc. Overhead Expenses		25.00	25.00	1.25
Total Operating Costs				1,101.00	55.05

Property Summary	Net Rev Int	Wrk Int	WI Revenue	Expenses	Net Cash
LEE #1H	0.03750000	0.05000000	111.08	55.05	56.03

Leexus Oil LLC
P.O. Box 726
Giddings, TX 78942
(979)542-3509

Settlement Statement

Account:

Date: 08/31/2025

Account: - Statement of Account:

Date	Reference	Description	Charges	Credits
06/30/2025		Balance Forward	21.80	
07/31/2025	RBU13887	Deduction from revenue check		(21.80)
		New Balance Forward	0.00	

Summary by Property:

Property#	Description	Net Income	Expenses	You Owe	Ck# 1000026700 Written to YOU for
LEE #1H	LEE #1H, FAYETTE COUNTY, TX	96.34	89.93		6.41
Totals:		96.34	89.93	0.00	6.41

For Inquiries about your account, please call (979) 542-3509, option 1, ext. 2.

Owner#:	Check#/Date	Gross Revenue:	Working	Royalty	Deductions	Withholding	Pmt Amount
	1000026700	Check Totals:	144.38		137.97		6.41
	08/31/2025	2025 Totals:	1,649.01		1,452.18		196.83

From: Leexus Oil LLC
To:

For Checks Dated 08/31/2025 and For Billing Dated 07/31/2025
Account: Page 2

Property: (LEE #1H) LEE #1H, FAYETTE COUNTY, TX County: FAYETTE, TX

API: 42-149-32930

Revenue:

Prd Date	Prod	Price Per	Volume/Share	Description	Property Amt	Your Share
06/2025	GAS	\$/MCF:2.55	1,509 /56.59	Gas Sales:	3,850.22	144.38
	Wrk NRI:	0.03750000		Gas Production Tax:	1.01-	0.03-
	ENERGY TRANSFER			Plant Other Deduction:	1,280.04-	48.01-
				Net Income:	2,569.17	96.34

Expenses:

Reference	Description	Deck/AFE	Invoice Amt	Total	Your Share
Operating Costs					
Pumper / Gauger					
JUNE 25	Pumper/Gauger - JUNE 2025		600.00		
26843	iWell/Field Data Capture & Production		11.00		
JULY 25	Pumper/Gauger		600.00	1,211.00	60.55
Administrative Overhead					
RBO53078	Administrative Overhead		350.00	350.00	17.50
Insurance					
RBO53079	Well Insurance		50.00	50.00	2.50
Salt Water Disposal					
250512-7	USFS, LLC/LEE #1H/SW DISP. 130 BBLS. 05/10/25/INV.#250512-7 DATED 05/16/25		162.50	162.50	8.13
Miscellaneous					
RBO53080	Misc. Overhead Expenses		25.00	25.00	1.25
Total Operating Costs				1,798.50	89.93

Property Summary	Net Rev Int	Wrk Int	WI Revenue	Expenses	Net Cash
LEE #1H	0.03750000	0.05000000	96.34	89.93	6.41

Leexus Oil LLC
P.O. Box 726
Giddings, TX 78942
(979)542-3509

Settlement Statement

Account:

Date: 07/31/2025

Account: - Statement of Account:

Date	Reference	Description	Charges	Credits
05/31/2025		Balance Forward	57.51	
06/30/2025	RBU13784	Deduction from revenue check		(57.51)
		New Balance Forward	0.00	

Summary by Property:

Property#	Description	Net Income	Expenses	You Owe	Ck# 1000026344 Written to YOU for
LEE #1H	LEE #1H, FAYETTE COUNTY, TX	193.55	21.80		171.75
Totals:		193.55	21.80	0.00	171.75

For Inquiries about your account, please call (979) 542-3509, option 1, ext. 2.

Owner#:	Check#/Date	Gross Revenue:	Working	Royalty	Deductions	Withholding	Pmt Amount
	1000026344	Check Totals:	279.41		107.66		171.75
	07/31/2025	2025 Totals:	1,504.63		1,314.21		190.42

From: Leexus Oil LLC
To:

For Checks Dated 07/31/2025 and For Billing Dated 06/30/2025
Account: Page 2

Property: (LEE #1H) LEE #1H, FAYETTE COUNTY, TX County: FAYETTE, TX

API: 42-149-32930

Revenue:

Prd Date	Prod	Price Per	Volume/Share	Description	Property Amt	Your Share
05/2025	GAS	\$/MCF:2.76	2,697 /101.14	Gas Sales:	7,450.98	279.41
	Wrk NRI:	0.03750000		Gas Production Tax:	1.80-	0.07-
	ENERGY TRANSFER			Plant Other Deduction:	2,287.80-	85.79-
				Net Income:	5,161.38	193.55

Expenses:

Reference	Description	Deck/AFE	Invoice Amt	Total	Your Share
Operating Costs					
Pumper / Gauger					
26518	iWell/Field Data Capture & Production		11.00	11.00	0.55
Administrative Overhead					
RBO52806	Administrative Overhead		350.00	350.00	17.50
Insurance					
RBO52807	Well Insurance		50.00	50.00	2.50
Miscellaneous					
RBO52808	Misc. Overhead Expenses		25.00	25.00	1.25
Total Operating Costs				436.00	21.80

Property Summary	Net Rev Int	Wrk Int	WI Revenue	Expenses	Net Cash
LEE #1H	0.03750000	0.05000000	193.55	21.80	171.75

Leexus Oil LLC
P.O. Box 726
Giddings, TX 78942
(979)542-3509

Settlement Statement

Account:

Date: 06/30/2025

Account: - Statement of Account:

Date	Reference	Description	Charges	Credits
04/30/2025		Balance Forward	169.33	
05/31/2025	RBU13680	Deduction from revenue check		(166.87)
		New Balance Forward	2.46	

Summary by Property:

Property#	Description	Net Income	Expenses	You Owe	Ck# 1000025985 Written to YOU for
	Unpaid Previous Balance			2.46	
LEE #1H	LEE #1H, FAYETTE COUNTY, TX	76.18	55.05		21.13
	Deduct to pay what you owe			(2.46)	(2.46)
	Totals:	76.18	55.05	0.00	18.67

For Inquiries about your account, please call (979) 542-3509, option 1, ext. 2.

Owner#:	Check#/Date	Gross Revenue:	Working	Royalty	Deductions	Withholding	Pmt Amount
	1000025985	Check Totals:	115.94		97.27		18.67
	06/30/2025	2025 Totals:	1,225.22		1,206.55		18.67

From: Leexus Oil LLC
To:

For Checks Dated 06/30/2025 and For Billing Dated 05/31/2025
Account: Page 2

Property: (LEE #1H) LEE #1H, FAYETTE COUNTY, TX County: FAYETTE, TX

API: 42-149-32930

Revenue:

Prd Date	Prod	Price Per	Volume/Share	Description	Property Amt	Your Share
04/2025	GAS	\$/MCF:2.48	1,249 /46.84	Gas Sales:	3,091.68	115.94
	Wrk NRI:	0.03750000		Gas Production Tax:	0.83-	0.03-
	ENERGY TRANSFER			Plant Other Deduction:	1,059.49-	39.73-
				Net Income:	2,031.36	76.18

Expenses:

Reference	Description	Deck/AFE	Invoice Amt	Total	Your Share
Operating Costs					
Pumper / Gauger					
26190	iWell/Field Data Capture & Production		11.00		
MAY 25	Pumper/Gauger		600.00	611.00	30.55
Administrative Overhead					
RBO52256	Administrative Overhead		350.00	350.00	17.50
Insurance					
RBO52257	Well Insurance		50.00	50.00	2.50
Salt Water Disposal					
PL053125-11	ADVANCE HYDROCARBON CORPORATION/DISPOSAL FEES - MAY 2025/SW DISP. 130 BBLS./INV.#PL053125-11 DATED 05/31/25		65.00	65.00	3.25
Miscellaneous					
RBO52258	Misc. Overhead Expenses		25.00	25.00	1.25
Total Operating Costs				1,101.00	55.05

Property Summary	Net Rev Int	Wrk Int	WI Revenue	Expenses	Net Cash
LEE #1H	0.03750000	0.05000000	76.18	55.05	21.13




Production



Lee 1H | API 42-149-32930 Well in Fayette County, TX


Oil & Gas Data for Fayette County, TX / Leexus Oil LLC / Lee 1H Property / LEE 1H / API # 42-149-32930

Map of Lee 1H



Entire Lease Production Graph | LEE 1H

Lease production as reported by the state



Full Details for LEE 1H

API #	42-149-32930	Permit Date	1994-11-02
API # +4	42-149-32930-00-00	Approved Date	1994-11-03
State	Texas	Spud Date	1994-11-13
County	Fayette County	Log Date	
Well Name	LEE 1H	Completion Date	2000-01-26
Lease Number	03-176637	Test Date	
Lease Name	LEE 1H	Production Date	
Operator	LEEXUS OIL LLC	Last Activity Date	
Closest City	Fayetteville	Abandoned Date	
Field / Formation	WALHALLA (GLENROSE)	Shut In Date	0000-00-00
Latitude	29.955644	Plugged Date	
Longitude	-96.755152	Recent Reporting Date	
Well Type	G	Recently Reported Oil Prod	0 BBL
Well Status	PRODUCING	Recently Reported Gas Prod	0 MCF
Well Direction	H	Overall Production Dates Available	
Section		Total Oil Production	0 BBL
Township		Total Gas Production	0 MCF
Range		Total Water Production	0 BBL
QQ		Estimated Daily Oil Production	0 BBL
Abstract	A-22	Estimated Daily Gas Production	50 MCF
Survey	BROWNE, S P	Estimated Daily Water Production	0 BBL
Ground Level Elevation		Estimated Monthly Oil Production	0 BBL
Derrick Level Elevation		Estimated Monthly Gas Production	1,509 MCF
Kelly Bushing Elevation		Estimated Monthly PBOE *	70 BBL
Drillers Total Depth		Estimated Maximum Daily Oil Production	N/A
True Total Depth	14000	Estimated Maximum Daily Gas Production	N/A
		Estimated Maximum Daily PBOE *	N/A

* PBOE = Price Based Barrel of Oil Equivalent (Using a market based ratio of roughly 16:1)

Permits on Lee 1H

Display API No	Well Name	Operator Name	Field Name	Date	Date Submitted	Date Approved	Date Spud	Application Type	Drill Type	Well Type	Permit Status	Proposed Depth
42-149-32930	LEE 1H	PATTERSON PETROLEUM, INC.	WILDCAT	1999-12-06	1999-12-06	1999-12-06	1999-12-18	Recompletion	Horizontal	Oil & GAS	Approved	14500
42-149-32930	LEE 1H	SNYDER OIL CORPORATION	GIDDINGS (AUSTIN CHALK-3)	1994-11-03	1994-11-02	1994-11-03	1994-11-13	New Drill	Horizontal	OIL	Approved	14000

Surrounding Wells

These are the closest 15 wells to Lee 1H.

API #	Well Name	Operator	Well Status
42-149-32377	Bertsch 1	ZEAL ENERGY CORPORATION	Plugged Oil Well
42-149-32410	Crowley Unit 1	GEMINI EXPLORATION COMPANY	Plugged Oil Well
42-149-32234	David "B" 1	UNITED OIL & MINERALS, INC.	Plugged Oil/Gas Well
42-149-32339	Domel Unit 1	GEMINI EXPLORATION COMPANY	Canceled Location
42-149-32873	Eureka Unit 1	MAGNOLIA OIL & GAS OPERATING LLC	PRODUCING
42-149-33015	Lcra/Coa Unit 3 3H	SWIFT ENERGY COMPANY	Horizontal Well Surface Locatio
42-149-32972	Lcra/Coa Unit 5 5	SWIFT ENERGY COMPANY	Horizontal Well Surface Locatio
42-149-32979	Lcra/Coa Unit 7ol	SWIFT ENERGY COMPANY	Horizontal Well Surface Locatio
42-149-33109	LPB 1	LEEXUS OIL LLC	PRODUCING
42-149-32845	Old. W.N.D.Z.-Amarado Unit 1	MAGNOLIA OIL & GAS OPERATING LLC	PRODUCING
42-149-32662	Oldenburg Unit 1re	MAGNOLIA OIL & GAS OPERATING LLC	PRODUCING
42-149-32319	Park Unit 1	WCS OIL AND GAS CORPORATION	Plugged Gas Well
42-149-32336	Park Unit 2	LOWER COLORADO RIVER AUTHORITY	PRODUCING
42-149-31422	Schmidt 1	COUNTY MANAGEMENT, INC.	Canceled Location
42-149-33203	Tye Unit 1	YOUNG, JOHN H., INC.	SWR-10-WELL

Companies in the Area

These are the closest 15 companies operating near the Lee 1H property.

Company Name
County Management, Inc.
Edco Energy, Inc.
Fenn, Bill Inc.
Gemini Exploration Company
Geosouthern Energy Corporation
Lower Colorado River Authority
Magnolia Oil & Gas Operating LLC
Research Exploration, LLC
Reserve Production, Inc.
Sandel Operating Company
Snyder Oil Corporation
Swift Energy Company
United Oil & Minerals, Inc.
WCS Oil & Gas Corporation
Young, John H., Inc.

Well Production

☐ API #


▼

 contains

▼

 42-149-32930

Production Graph of Search Results



Date	LEE 1H API # 42-149-32930 Fayette County, TX *** Lease Production	
	Oil Prod (BBLs)	Gas Prod (MCF)
Jul 2025	0	1,646
Jun 2025	0	1,509
May 2025	1	2,697
Apr 2025	0	1,249
Mar 2025	0	0
Feb 2025	0	2,075
Jan 2025	0	1,610
Dec 2024	0	2,397
Nov 2024	0	1,671
Oct 2024	0	1,585
Sep 2024	0	2,013
Aug 2024	0	2,629
Jul 2024	0	1,576
Jun 2024	0	1,953
Date	LEE 1H API # 42-149-32930 Fayette County, TX *** Lease Production	

Date	LEE 1H API # 42-149-32930 Fayette County, TX *** Lease Production	
	Oil Prod (BBLs)	Gas Prod (MCF)
May 2024	0	2,342
Apr 2024	0	2,209
Mar 2024	2	2,355
Feb 2024	0	2,285
Jan 2024	0	2,203
Dec 2023	1	2,355
Nov 2023	0	2,404
Oct 2023	0	2,297
Sep 2023	2	2,311
Aug 2023	0	2,735
Jul 2023	1	4,519
Jun 2023	1	2,341
May 2023	0	1,932
Apr 2023	0	2,325
Mar 2023	1	4,032
Feb 2023	0	2,599
Jan 2023	0	15
Dec 2022	0	568
Nov 2022	0	1,457
Oct 2022	0	1,539
Sep 2022	0	1,518
Aug 2022	0	1,983
Jul 2022	0	1,983
Jun 2022	0	1,369
May 2022	0	1,558
Apr 2022	0	1,655
Mar 2022	1	1,447
Feb 2022	0	1,218
Jan 2022	0	695
Dec 2021	0	695
Nov 2021	0	1,867
Oct 2021	2	3,531
Sep 2021	0	1,536
Aug 2021	0	1,496
Jul 2021	0	1,811
Jun 2021	0	1,779
May 2021	0	2,012
Apr 2021	0	517
Date	LEE 1H API # 42-149-32930 Fayette County, TX *** Lease Production	

Date	LEE 1H API # 42-149-32930 Fayette County, TX *** Lease Production	
	Oil Prod (BBLs)	Gas Prod (MCF)
Mar 2021	0	1,423
Feb 2021	0	2,423
Jan 2021	0	3,481
Dec 2020	0	419
Nov 2020	3	1,616
Oct 2020	0	2,094
Sep 2020	2	1,805
Aug 2020	0	376
Jul 2020	3	1,937
Jun 2020	20	1,805
May 2020	0	1,565
Apr 2020	0	1,772
Mar 2020	0	1,993
Feb 2020	2	3,043
Jan 2020	0	2,197
Dec 2019	0	1,476
Nov 2019	0	1,774
Oct 2019	0	1,789
Sep 2019	0	1,860
Aug 2019	0	2,103
Jul 2019	0	2,956
Jun 2019	0	2,642
May 2019	1	3,037
Apr 2019	0	1,925
Mar 2019	0	2,468
Feb 2019	1	3,780
Jan 2019	0	848
Dec 2018	0	1,279
Nov 2018	0	1,471
Oct 2018	0	1,543
Sep 2018	35	1,503
Aug 2018	0	1,561
Jul 2018	0	1,690
Jun 2018	0	1,635
May 2018	0	1,713
Apr 2018	0	1,698
Mar 2018	0	1,809
Feb 2018	0	1,683
Date	LEE 1H API # 42-149-32930 Fayette County, TX *** Lease Production	

Date	LEE 1H API # 42-149-32930 Fayette County, TX *** Lease Production	
	Oil Prod (BBLs)	Gas Prod (MCF)
Jan 2018	0	1,961
Dec 2017	0	2,127
Nov 2017	0	3,103
Oct 2017	1	2,821
Sep 2017	0	1,679
Aug 2017	0	1,783
Jul 2017	0	1,824
Jun 2017	0	1,841
May 2017	0	1,985
Apr 2017	0	2,020
Mar 2017	0	2,268
Feb 2017	0	2,430
Jan 2017	0	6,190
Dec 2016	0	1,447
Nov 2016	0	1,454
Oct 2016	0	1,498
Sep 2016	0	1,466
Aug 2016	0	1,548
Jul 2016	0	1,596
Jun 2016	0	1,570
May 2016	0	1,677
Apr 2016	0	1,761
Mar 2016	0	1,745
Feb 2016	0	1,690
Jan 2016	0	1,855
Dec 2015	0	1,951
Nov 2015	1	2,004
Oct 2015	0	2,284
Sep 2015	5	3,617
Aug 2015	0	1,822
Jul 2015	0	1,880
Jun 2015	0	1,893
May 2015	0	2,041
Apr 2015	0	2,062
Mar 2015	0	2,238
Feb 2015	0	2,238
Jan 2015	0	2,990
Dec 2014	72	6,936
Date	LEE 1H API # 42-149-32930 Fayette County, TX *** Lease Production	

Date	LEE 1H API # 42-149-32930 Fayette County, TX *** Lease Production	
	Oil Prod (BBLs)	Gas Prod (MCF)
Nov 2014	0	1,452
Oct 2014	0	1,542
Sep 2014	0	1,546
Aug 2014	0	1,555
Jul 2014	0	1,535
Jun 2014	0	1,481
May 2014	0	1,556
Apr 2014	0	1,665
Mar 2014	0	1,755
Feb 2014	0	1,703
Jan 2014	0	2,137
Dec 2013	0	2,079
Nov 2013	0	2,086
Oct 2013	2	2,283
Sep 2013	0	2,412
Aug 2013	0	2,804
Jul 2013	0	3,601
Jun 2013	1	5,809
May 2013	0	1,585
Apr 2013	0	1,576
Mar 2013	0	1,664
Feb 2013	0	1,493
Jan 2013	0	1,636
Dec 2012	0	1,699
Nov 2012	0	1,914
Oct 2012	0	1,807
Sep 2012	0	1,756
Aug 2012	0	1,857
Jul 2012	0	1,908
Jun 2012	0	1,904
May 2012	0	2,074
Apr 2012	0	1,933
Mar 2012	0	2,062
Feb 2012	1	2,015
Jan 2012	0	2,286
Dec 2011	0	2,549
Nov 2011	0	3,554
Oct 2011	0	2,193
Date	LEE 1H API # 42-149-32930 Fayette County, TX *** Lease Production	

Date	LEE 1H API # 42-149-32930 Fayette County, TX *** Lease Production	
	Oil Prod (BBLs)	Gas Prod (MCF)
Sep 2011	0	2,224
Aug 2011	0	2,563
Jul 2011	0	3,112
Jun 2011	27	5,691
May 2011	0	1,627
Apr 2011	0	1,608
Mar 2011	0	1,706
Feb 2011	0	1,610
Jan 2011	0	1,820
Dec 2010	0	1,822
Nov 2010	0	1,884
Oct 2010	0	1,901
Sep 2010	0	1,893
Aug 2010	0	2,046
Jul 2010	0	2,194
Jun 2010	0	2,135
May 2010	0	2,192
Apr 2010	0	2,240
Mar 2010	0	2,468
Feb 2010	0	2,543
Jan 2010	1	4,671
Dec 2009	0	3,989
Nov 2009	0	1,665
Oct 2009	0	1,780
Sep 2009	0	1,755
Aug 2009	0	1,836
Jul 2009	0	1,583
Jun 2009	0	1,854
May 2009	0	1,884
Apr 2009	0	1,864
Mar 2009	0	1,909
Feb 2009	0	1,785
Jan 2009	0	1,959
Dec 2008	0	2,110
Nov 2008	3	2,124
Oct 2008	4	2,580
Sep 2008	2	3,344
Aug 2008	0	1,941
Date	LEE 1H API # 42-149-32930 Fayette County, TX *** Lease Production	

Date	LEE 1H API # 42-149-32930 Fayette County, TX *** Lease Production	
	Oil Prod (BBLs)	Gas Prod (MCF)
Jul 2008	1	1,870
Jun 2008	5	1,872
May 2008	4	2,085
Apr 2008	7	2,019
Mar 2008	0	2,176
Feb 2008	0	2,136
Jan 2008	0	2,125
Dec 2007	0	2,387
Nov 2007	0	2,428
Oct 2007	0	2,544
Sep 2007	0	1,886
Aug 2007	6	2,948
Jul 2007	0	4,446
Jun 2007	27	14,266
May 2007	0	122
Apr 2007	0	3
Mar 2007	0	69
Feb 2007	0	85
Jan 2007	0	139
Dec 2006	0	1,042
Nov 2006	0	2,594
Oct 2006	10	2,457
Sep 2006	4	1,956
Aug 2006	9	2,903
Jul 2006	3	1,864
Jun 2006	1	2,321
May 2006	7	3,006
Apr 2006	0	2,426
Mar 2006	0	3,023
Feb 2006	3	2,331
Jan 2006	0	2,810
Dec 2005	0	2,863
Nov 2005	0	2,571
Oct 2005	0	3,072
Sep 2005	0	2,549
Aug 2005	0	2,617
Jul 2005	2	2,854
Jun 2005	0	2,953
Date	LEE 1H API # 42-149-32930 Fayette County, TX *** Lease Production	

Date	LEE 1H API # 42-149-32930 Fayette County, TX *** Lease Production	
	Oil Prod (BBLs)	Gas Prod (MCF)
May 2005	11	2,943
Apr 2005	0	2,861
Mar 2005	0	3,068
Feb 2005	0	2,836
Jan 2005	0	3,176
Dec 2004	3	3,638
Nov 2004	4	2,825
Oct 2004	0	2,437
Sep 2004	3	3,062
Aug 2004	7	3,102
Jul 2004	0	3,168
Jun 2004	3	3,165
May 2004	2	3,299
Apr 2004	4	3,237
Mar 2004	5	3,661
Feb 2004	0	2,752
Jan 2004	8	3,560
Dec 2003	0	2,640
Nov 2003	0	2,638
Oct 2003	0	2,880
Sep 2003	0	2,999
Aug 2003	0	3,345
Jul 2003	0	3,012
Jun 2003	5	3,364
May 2003	9	3,295
Apr 2003	14	3,534
Mar 2003	16	3,491
Feb 2003	0	2,678
Jan 2003	7	3,271
Dec 2002	0	2,843
Nov 2002	4	3,212
Oct 2002	4	4,107
Sep 2002	0	3,113
Aug 2002	5	4,734
Jul 2002	0	3,069
Jun 2002	0	3,106
May 2002	4	3,392
Apr 2002	0	3,826
Date	LEE 1H API # 42-149-32930 Fayette County, TX *** Lease Production	

Date	LEE 1H API # 42-149-32930 Fayette County, TX *** Lease Production	
	Oil Prod (BBLs)	Gas Prod (MCF)
Mar 2002	15	4,406
Feb 2002	0	3,052
Jan 2002	0	3,599
Dec 2001	9	5,108
Nov 2001	0	3,411
Oct 2001	0	3,707
Sep 2001	0	3,896
Aug 2001	12	5,253
Jul 2001	1	3,937
Jun 2001	0	4,088
May 2001	3	4,836
Apr 2001	4	4,882
Mar 2001	9	5,440
Feb 2001	5	5,048
Jan 2001	9	5,797
Dec 2000	9	5,735
Nov 2000	3	6,100
Oct 2000	14	5,841
Sep 2000	2	7,295
Aug 2000	14	9,651
Jul 2000	10	16,028
Jun 2000	3	2,195
May 2000	52	24,702
Apr 2000	0	2,409
Mar 2000	6	6,890
Feb 2000	0	9,932
Jan 2000	21	3,886
Date	LEE 1H API # 42-149-32930 Fayette County, TX *** Lease Production	



Misc. Info





Multi-Shot, Inc
11450 FM 1960 West Suite 304
Houston, Texas 77065
Office: (713) 894-5157
Fax: (713) 894-5424

October 18, 1995

The Railroad Commission of Texas
Oil & Gas Division
P. O. Drawer 12967, Capitol Station
Austin, Texas 78711-2967

Attention: Mr. Brent Chance

RE:
Snyder Oil & Gas Company
Lee, Well #1
RRC Lease ID no.
Giddings (Austin Chalk-3) and Giddings (Austin Chalk, Gas)
Samuel P. Brown, Abstract 22
Fayette County, Texas
API # 42-149-32930

Sir:


Enclosed, please find the original and one copy of the survey performed on the referenced well by Multi-Shot, Inc. Other information required by your office is as follows:

Name & Title of Surveyor	Drainhole Number	Surveyed Depths	Date Performed	Type of Survey
Tariq Jallad Surveyor	Original	2200'-10,300'	10/05/95	Gyroscopic Multi-Shot

A certified plat on which the bottom hole location is oriented both to the surface location and to the lease lines (or unit lines in case of pooling) is attached to the survey report. If any other information is required, please contact the undersigned at the letterhead address and phone number.

Sincerely,


Lara Reader
Operations



MULTI-SHOT, INC.
11450 FM 1960 WEST, Suite 304
HOUSTON, TEXAS 77065

(713) 894-5157
(800) 641-SHOT

REPORT OF SURVEY

SNYDER OIL & GAS COMPANY

LEE, WELL #1

FAYETTE COUNTY, TEXAS

JOB NUMBER: G-290C-95 10/05/95 T. JALLAD

DECLINATION: 6 DEGREES EAST (TRUE)

Radius of Curvature Calculations

MEASURED	B O R E - H O L E		TRUE	R E C T A N G U L A R		VERTICAL	C L O S U R E S		
Depth	Incl.	Direction	Vertical	CO O R D I N A T E S	East/West	SECTION	Distance	Direction	DLS
Feet	D M	D M	Feet	North/South	Feet	Feet	Feet	D M	Deg/100'
2000.00	0 0	N 0 0 E	2000.00	0.00	0.00	0.00	0.00	N 0 0E	0.00
ASSUMED VERTICAL AT 2000' M.D. PER OPERATOR									
2200.00	0 15	N 15 0 W	2200.00	.43 N	.11 W	.43	.44	N15 1W	.13
2400.00	0 15	N 20 0 W	2400.00	1.26 N	.38 W	1.26	1.31	N16 39W	.01
2600.00	0 15	N 30 0 W	2600.00	2.05 N	.75 W	2.05	2.18	N20 0W	0.02
2800.00	0 15	N 30 0 W	2799.99	2.80 N	1.18 W	2.80	3.04	N22 51W	0.00
3000.00	0 15	N 55 0 W	2999.99	3.44 N	1.77 W	3.44	3.87	N27 10W	.05
3200.00	1 0	N 5 0 W	3199.98	5.27 N	2.82 W	5.27	5.98	N28 10W	.43
3400.00	1 15	N 55 0 W	3399.94	8.56 N	4.72 W	8.56	9.78	N28 52W	.49
3600.00	1 15	N 40 0 W	3599.89	11.50 N	7.93 W	11.50	13.97	N34 35W	.16
3800.00	1 30	N 40 0 W	3799.83	15.18 N	11.02 W	15.18	18.75	N35 58W	.13
4000.00	1 45	N 50 0 W	3999.75	19.18 N	15.02 W	19.18	24.36	N38 3W	.19
4200.00	2 0	N 55 0 W	4199.65	23.16 N	20.21 W	23.16	30.74	N41 6W	.15
4400.00	2 0	N 55 0 W	4399.52	27.17 N	25.93 W	27.17	37.55	N43 39W	0.00
4600.00	1 45	N 65 0 W	4599.42	30.43 N	31.58 W	30.43	43.86	N46 3W	.20
4800.00	1 30	N 65 0 W	4799.34	32.83 N	36.72 W	32.83	49.26	N48 12W	.13


SNYDER OIL & GAS COMPANY
 LEE, WELL #1
 FAYETTE COUNTY, TEXAS

MEASURED	B O R E - H O L E			TRUE	R E C T A N G U L A R		VERTICAL	C L O S U R E S		DLS
Depth	Incl.	Direction		Vertical	North/South	East/West	SECTION	Distance	Direction	Deg/100'
Feet	D M	D	M	Feet	Feet	Feet	Feet	Feet	D M	
5000.00	1 30	N 90	0 W	4999.27	33.96 N	41.79 W	33.96	53.85	N50 54W	.32
5200.00	1 15	N 70	0 W	5199.21	34.78 N	46.50 W	34.78	58.07	N53 12W	.27
5400.00	1 15	N 55	0 W	5399.16	36.79 N	50.36 W	36.79	62.37	N53 51W	.16
5600.00	1 0	N 60	0 W	5599.12	38.90 N	53.66 W	38.90	66.28	N54 3W	.13
5800.00	1 0	N 65	0 W	5799.09	40.51 N	56.76 W	40.51	69.74	N54 29W	0.04
6000.00	1 0	N 75	0 W	5999.06	41.70 N	60.03 W	41.70	73.10	N55 13W	0.09
6200.00	1 0	S 80	0 W	6199.03	41.85 N	63.49 W	41.85	76.05	N56 36W	.22
6400.00	1 0	S 80	0 W	6399.00	41.25 N	66.93 W	41.25	78.62	N58 21W	0.00
6600.00	1 30	S 75	0 W	6598.95	40.31 N	71.19 W	40.31	81.81	N60 29W	.26
6800.00	1 30	N 80	0 W	6798.88	40.08 N	76.38 W	40.08	86.25	N62 18W	.32
7000.00	1 30	N 75	0 W	6998.82	41.21 N	81.49 W	41.21	91.32	N63 10W	.06
7200.00	1 15	N 80	0 W	7198.76	42.25 N	86.17 W	42.25	95.97	N63 53W	.14
7400.00	1 0	N 70	0 W	7398.72	43.26 N	89.96 W	43.26	99.82	N64 19W	.16
7600.00	1 15	N 60	0 W	7598.68	44.92 N	93.51 W	44.92	103.74	N64 20W	.16
7800.00	1 30	N 65	0 W	7798.62	47.14 N	97.77 W	47.14	108.54	N64 15W	.14
8000.00	1 30	N 65	0 W	7998.56	49.35 N	102.51 W	49.35	113.77	N64 17W	0.00
8200.00	1 15	N 70	0 W	8198.50	51.19 N	106.94 W	51.19	118.56	N64 25W	.14
8400.00	1 0	N 60	0 W	8398.46	52.84 N	110.50 W	52.84	122.48	N64 26W	.16
8600.00	1 15	N 70	0 W	8598.42	54.50 N	114.05 W	54.50	126.40	N64 27W	.16
8800.00	1 0	N 70	0 W	8798.38	55.84 N	117.73 W	55.84	130.30	N64 37W	.13
9000.00	1 0	N 75	0 W	8998.35	56.89 N	121.06 W	56.89	133.76	N64 50W	0.04
9200.00	1 30	N 85	0 W	9198.30	57.64 N	125.35 W	57.64	137.97	N65 18W	.27
9400.00	1 45	N 75	0 W	9398.22	58.63 N	130.93 W	58.63	143.46	N65 52W	.19
9600.00	1 45	N 75	0 W	9598.13	60.21 N	136.83 W	60.21	149.49	N66 15W	0.00
9800.00	1 45	N 70	0 W	9798.04	62.04 N	142.65 W	62.04	155.56	N66 29W	.08

SNYDER OIL & GAS COMPANY
 LEE, WELL #1
 FAYETTE COUNTY, TEXAS

MEASURED	B O R E - H O L E		TRUE	R E C T A N G U L A R		VERTICAL SECTION	C L O S U R E S		DLS Deg/100'
Depth Feet	Incl. D M	Direction D M	Vertical Depth Feet	North/South Feet	East/West Feet		Distance Feet	Direction D M	
10000.00	1 15	N 65 0 W	9997.97	64.05 N	147.49 W	64.05	160.79	N66 31W	.26
10200.00	1 15	N 70 0 W	10197.92	65.72 N	151.52 W	65.72	165.16	N66 33W	.05
10300.00	1 15	N 65 0 W	10297.89	66.55 N	153.53 W	66.55	167.34	N66 34W	.11

Final Station Closure Distance: 167.34 Feet; Direction: N66 34W



Multi-Shot, Inc
11450 FM 1960 West Suite 304
Houston, Texas 77065
Office: (713) 894-5157
Fax: (713) 894-5424

State of Texas
County of Harris

I, Tariq Jallad certify that: I am employed by Multi-Shot, Inc.: that I did on the day (s) of 10-5-95 through 10-5-95 conduct or supervise the taking of a Gyroscopic Multi-Shot survey from a depth of 2200' feet to a depth of 10,300 feet; that the data is true, correct, complete and within the limitations of the tool as set forth by Multi-Shot, Inc.; that I am authorized and qualified to make this report; that this survey was conducted at the request of Snyder for the Lee Well# 1 API NO. 42-149-32930 in Fayette County, Texas; and that I have reviewed this report and find that it conforms to the principles and procedures as set forth by Multi-Shot, Inc..



Tariq Jallad
Surveyor


CURVE DATA :

1. DELTA 08°11'13"
RADIUS 2794.79'
ARC 399.34'
CHORD N 89°51'30" W
399.00'
2. DELTA 08°00'00"
RADIUS 2794.79'
ARC 390.23'
CHORD N 71°46'30" W
389.91'

SAMUEL P. BROWN
A - 22

L. EVANS, TRUSTEE
40 ACS.
VOL.703/788

N. TOWNSEND A - 103



J. M. HENSLEY
A - 54

SURF. LOC. TO P.O.E. - N 27°14'31" W 273'
P.O.E. TO B.H.L. - N 26°39'55" W 1950.73'
SURF. LOC. TO B.H.L. - N 26°44'10" W 2223.97'

NUMBERED CALLS :

- | | |
|---------------------------|---------------------------|
| 1. S 41°15'00" W 1211.59' | 10. N 64°18'00" W 25.77' |
| 2. S 86°03'00" W 25.40' | 11. N 48°45'00" W 309.45' |
| 3. S 49°45'30" W 219.71' | 12. N 03°57'30" W 299.00' |
| 4. S 86°02'30" W 400.00' | 13. N 86°02'30" E 340.00' |
| 5. S 83°10'30" W 200.25' | 14. N 88°54'30" E 200.40' |
| 6. S 86°02'30" W 590.66' | 15. N 86°02'30" E 102.10' |
| 7. N 80°46'30" W 487.16' | 16. S 05°01'00" E 85.90' |
| 8. N 58°03'30" W 485.32' | 17. S 41°15'08" W 600.00' |
| 9. N 54°46'30" W 288.35' | |

MSI Bottom Hole Location
167.34 Feet @ N66-34W of Surface Location
MD 10,300' TVD 10,297.89'
North 66.55' West 153.53'

SURFACE LOCATION :
2649' FROM THE NE LINE OF THE SURVEY. 1238' FROM THE NE LINE OF THE UNIT. 213' FROM THE SE LINE OF THE UNIT AND SURVEY.

POINT OF ENTRY LOCATION :
2546' FROM THE NE LINE OF THE SURVEY. 1145' FROM THE NE LINE OF THE UNIT. 467' FROM THE SE LINE OF THE UNIT AND SURVEY.

BOTTOM HOLE LOCATION :
1765' FROM THE NE LINE OF THE SURVEY. 467' FROM THE NE LINE OF THE UNIT. 2275' FROM THE SE LINE OF THE UNIT AND SURVEY. 467' FROM THE NW LINE OF THE UNIT.

LOCATED APPROXIMATELY ± 0.5 MILES SE OF OLDENBURG, TEXAS.


STATE OF TEXAS)
COUNTY OF FAYETTE)

I, LOUIS KNOX, A REGISTERED PROFESSIONAL SURVEYOR, DO HEREBY CERTIFY THAT THIS PLAT SHOWING THE SNYDER OIL CORP., LEE NO.1-H, 166.053 ACRE LEASE IN THE SAMUEL P. BROWN SURVEY A-22, FAYETTE COUNTY, TEXAS WAS PREPARED FROM AN ACTUAL ON THE GROUND SURVEY AND IS CERTIFIED TO BE CORRECT TO THE BEST OF MY KNOWLEDGE AND ABILITY.

BEARINGS ARE RELATED TO THE
TEXAS STATE PLANE COORDINATE
SYSTEM, SOUTH CENTRAL ZONE.
ALL BEARINGS ARE GRID.

DATE OF SIGNATURE, 10--28--94.

LOUIS KNOX & ASSOC., SURVEYORS
P.O. BOX 539
GIDDINGS, TEXAS 78942



LOUIS KNOX,
R.P.S.,
NO. 875



DIRECTIONAL SURVEY, INC.

Date: June 19, 1995

The Railroad Commission of Texas
Oil & Gas Division
P.O. Drawer 12967
Capitol Station
Austin, Texas 78711-2967

Z 021 894 680

Attn: Brent H. Chance

RE:	Operator:	Snyder Oil Corporation
	Well:	Lee #1-H
RRC Lease/Gas ID No.:		799886
	Field:	Austin Chalk 3
Legal Description:		Samuel P. Brown, Abstract A-22
	County:	Fayette County, Texas
	API #:	42-149-32930
Certified Mail No.:		Z 021 894 680

Dear Mr. Chance:

Enclosed please find the original and one copy of the survey performed on the referenced well by Directional Survey, Inc. (P-5 No. 220829). Other information required by your office is as follows:

Name & Title of Surveyor	Drainhole Number	Surveyed Depths	Dates Performed	Type of Survey
<u>Leonard Fluitt</u> <u>President</u>	<u>Original</u> <u>Hole</u>	<u>0' - 2,150'</u>	<u>11/15/94</u>	<u>Gyroscopic</u>

A certified plat on which the bottom hole location is oriented both to the surface location and to the lease lines (or unit lines in case of pooling) is attached to the survey report. Also enclosed is a survey certification form completed by the field technician. If any other information is required, please contact the undersigned at the letterhead address and phone number.

Sincerely,


Danielle R. Fontenot

enc
cc

Snyder Oil Corporation

SURVEY CERTIFICATION FORM

STATE OF Texas

PARISH / COUNTY OF Fayette

I Leonard Fluit in the employ of the Directional Survey, Inc. did on the
Fifteenth day of November, 1994
and the _____ day of _____, 1995
and the _____ day of _____, 1995

respectfully conduct or supervise the taking of ☒ Multi-Shot, ☐ Single-Shot Directional
Survey by the method indicated:

From

a depth of 0 ft. to 2,150 ft. by Gyroscopic, Magnetic, Oriented Survey

a depth of _____ ft. to _____ ft. by Gyroscopic, Magnetic, Oriented Survey

a depth of _____ ft. to _____ ft. by Gyroscopic, Magnetic, Oriented Survey

a depth of _____ ft. to _____ ft. by Gyroscopic, Magnetic, Oriented Survey

with records of inclination and direction of inclination being taken at approximately every
200 feet.

This Survey was taken at the request of Snyder Oil Corporation

for their Lee #1-H Well, API# 42-149-32930

in Fayette County, State of Texas

I certify that this is a true and correct report of such survey and that it affords a true and correct representation of our findings as to the nature and condition at the time the survey / surveys were made. I further certify that I am authorized and qualified to make this report and that I have reviewed this report and find that it conforms to the principles and procedures as set forth by Directional Survey, Inc.

DIRECTIONAL SURVEY, INC.

BY: 

DIRECTIONAL SURVEY, INC.
CORPUS CHRISTI, TEXAS

OPERATOR: Snyder Oil Corporation
WELL: Lee #1-H
LOCATION: Fayette County, Texas
DECLINATION: EAST

JOB#: G205H94
SURVEYOR: Leonard Fluitt
RIG: Patterson #29
API#: 42-149-32930
SURVEY DATE: 11/15/94

MINIMUM CURVATURE CALCULATIONS

PROPOSED DIRECTION: 333.25

SUR NUM TIE-IN	MEASURED DEPTH	INC	TRUE AZM	TVD	N-S	E-W	SECT	DLS/ 100	CLOSURE DISTANCE	CLOSURE DIRECTION
							0.00		0.00	
1	200.00	0.00	0.00	200.00	0.00	N	0.00	0.00	0.00	63.43
2	400.00	0.50	235.00	400.00	0.50	S	0.71	0.25	0.87	235.00
3	600.00	0.25	184.00	599.99	1.44	S	1.46	0.20	2.05	225.47
4	800.00	0.00	0.00	799.99	1.87	S	1.49	0.13	2.39	218.53
5	1000.00	0.25	122.00	999.99	2.10	S	1.12	0.13	2.38	208.05
6	1200.00	0.00	0.00	1199.99	2.33	S	0.75	0.13	2.45	197.82
7	1400.00	0.25	148.00	1399.99	2.70	S	0.52	0.13	2.75	190.87
8	1600.00	0.25	159.00	1599.99	3.48	S	0.13	0.02	3.48	182.17
9	1800.00	0.25	175.00	1799.99	4.32	S	0.06	0.03	4.32	179.17
10	2000.00	0.25	145.00	1999.99	5.12	S	0.35	0.06	5.13	176.07
11	2150.00	0.50	150.00	2149.98	5.95	S	0.87	0.17	6.01	171.72

CLOSURE AT 2,150 FEET EQUALS 6.01 FEET AT S 8.28 E

I. DELTA 08'11'13"
RADIUS 2794.79'
ARC 399.34'
CHORD N 89°51'30" W
399.00'

2. DELTA 08'00'00"
RADIUS 2794.79'
ARC 390.23'
CHORD N 71°46'30" W
389.91'

SAMUEL P. BROWN

A - 22


L. EVANS, TRUSTEE
40 ACS.
VOL 703/700

POST OFFICE BOX 4000
25011 E. LOVELL BOULEVARD
DENVER, CO 80201

2015 42 149 429 511

N.

SEND A - 103



~~J. M. HENSLEY~~
~~A - 54~~

SURF. LOC. TO P.O.E. - N 27°14'31" W 273'
P.O.E. TO B.H.L. - N 26°39'55" W 1950.73'
SURF. LOC. TO B.H.L. - N 26°44'10" W 2223.97'

NUMBERED CALLS : ☐

1. S 41°15'00" W	1211.59'	10. N 64°18'00" W	25.77'
2. S 86°03'00" W	25.40'	11. N 48°45'00" W	309.45'
3. S 49°45'30" W	219.71'	12. N 03°57'30" W	299.00'
4. S 86°02'30" W	400.00'	13. N 86°02'30" E	340.00'
5. S 83°10'30" W	200.25'	14. N 88°54'30" E	200.40'
6. S 86°02'30" W	590.66'	15. N 86°02'30" E	102.10'
7. N 80°46'30" W	487.16'	16. S 05°01'00" E	85.90'
8. N 58°03'30" W	485.32'	17. S 41°15'08" W	600.00'
9. N 54°46'30" W	289.35'		

SCALE 1"=1000'

SURFACE LOCATION :

2649' FROM THE NE LINE OF THE SURVEY. 1238' FROM THE NE LINE OF THE UNIT. 213' FROM THE SE LINE OF THE UNIT AND SURVEY.

POINT OF ENTRY LOCATION :

2546' FROM THE NE LINE OF THE SURVEY. 1145' FROM THE NE LINE OF THE UNIT. 467' FROM THE SE LINE OF THE UNIT AND SURVEY.

BOTTOM HOLE LOCATION :

1765' FROM THE NE LINE OF THE SURVEY. 467' FROM THE NE LINE OF THE UNIT. 2275' FROM THE SE LINE OF THE UNIT AND SURVEY. 467' FROM THE NW LINE OF THE UNIT.

LOCATED APPROXIMATELY : 0.5 MILES SE OF OLDENBURG, TEXAS.

STATE OF TEXAS)
COUNTY OF FAYETTE)

I, LOUIS KNOX, A REGISTERED PROFESSIONAL SURVEYOR, DO HEREBY CERTIFY THAT THIS PLAT SHOWING THE SNYDER OIL CORP., LEE NO.1-H, 166.053 ACRE LEASE IN THE SAMUEL P. BROWN SURVEY A-22, FAYETTE COUNTY, TEXAS WAS PREPARED FROM AN ACTUAL ON THE GROUND SURVEY AND IS CERTIFIED TO BE CORRECT TO THE BEST OF MY KNOWLEDGE AND ABILITY.

BEARINGS ARE RELATED TO THE TEXAS STATE PLANE COORDINATE SYSTEM, SOUTH CENTRAL ZONE. ALL BEARINGS ARE GRID.

DATE OF SIGNATURE, 10--28--94.

LOUIS KNOX & ASSOC., SURVEYORS
P.O. BOX 539
GIDDINGS, TEXAS 78942

LOUIS KNOX,
R.P.S.,
NO. 875





Multi-Shot, Inc
11450 FM 1960 West Suite 304
Houston, Texas 77065
Office: (713) 894-5157
Fax: (713) 894-5424

October 26, 1995

The Railroad Commission of Texas
Oil & Gas Division
P. O. Drawer 12967, Capitol Station
Austin, Texas 78711-2967

CEP-FILED

Z 705 548 601

MAIL

Attention: Mr. Brent Chance

RE:
Snyder Oil & Gas Company
Lee, Well #1
RRC Lease ID no.
Giddings (Austin Chalk-3) and Giddings (Austin Chalk, Gas)
Samuel P. Brown, Abstract 22
Fayette County, Texas
API # 42-149-32930

Sir:

Enclosed, please find the original and one copy of the survey performed on the referenced well by Multi-Shot, Inc. Other information required by your office is as follows:

Name & Title of Surveyor	Drainhole Number	Surveyed Depths	Date Performed	Type of Survey
Tariq Jallad Surveyor	Original	2200'-10,300'	10/05/95	Gyroscopic Multi-Shot

A certified plat on which the bottom hole location is oriented both to the surface location and to the lease lines (or unit lines in case of pooling) is attached to the survey report. If any other information is required, please contact the undersigned at the letterhead address and phone number.

Sincerely,

Lara Reader
Operations

MULTI-SHOT, INC.
11450 FM 1960 WEST, Suite 304
HOUSTON, TEXAS 77065

(713) 894-5157
(800) 641-SHOT

REPORT OF SURVEY

SNYDER OIL & GAS COMPANY

LEE, WELL #1

FAYETTE COUNTY, TEXAS

JOB NUMBER: G-290C-95 10/05/95 T. JALLAD

DECLINATION: 6 DEGREES EAST (TRUE)

Radius of Curvature Calculations

MEASURED Depth Feet	B O R E - H O L E Incl. Direction D M D M		TRUE Vertical Depth Feet	R E C T A N G U L A R C O O R D I N A T E S North/South East/West Feet Feet		VERTICAL SECTION Feet	C L O S U R E S Distance Direction Feet D M		DLS Deg/100'
0.00	0 0	N 0 0 E	0.00	0.00	0.00	0.00	0.00	N 0 0E	0.00
200.00	0 0	N 0 0 E	200.00	0.00	0.00	0.00	0.00	N 0 0E	0.00
400.00	0 30	S 55 0 W	400.00	.50 S	.72 W	-.50	.87	S55 1W	.25
600.00	0 15	S 4 0 W	599.99	1.60 S	1.34 W	-1.60	2.09	S39 53W	.20
800.00	0 0	N 0 0 E	799.99	2.04 S	1.37 W	-2.04	2.46	S33 51W	.13
1000.00	0 15	S 58 0 E	999.99	2.28 S	1.00 W	-2.28	2.48	S23 40W	.13
1200.00	0 0	N 0 0 E	1199.99	2.51 S	.62 W	-2.51	2.58	S13 58W	.13
1400.00	0 15	S 32 0 E	1399.99	2.88 S	.39 W	-2.88	2.91	S 7 43W	.13
1600.00	0 15	S 21 0 E	1599.99	3.66 S	0.00 W	-3.66	3.66	S 0 2W	.02
1800.00	0 15	S 5 0 E	1799.99	4.51 S	.19 E	-4.51	4.51	S 2 27E	0.04
2000.00	0 15	S 35 0 E	1999.98	5.32 S	.49 E	-5.32	5.34	S 5 14E	.06
2150.00	0 30	S 30 0 E	2149.98	6.15 S	1.02 E	-6.15	6.23	S 9 23E	.17
TIE IN-TO INFORMATION SUPPLIED BY OPERATOR									
2200.00	0 15	N 15 0 W	2199.98	6.06 S	1.22 E	-6.06	6.18	S11 25E	1.49
2400.00	0 15	N 20 0 W	2399.98	5.23 S	.96 E	-5.23	5.32	S10 25E	.01
2600.00	0 15	N 30 0 W	2599.98	4.44 S	.59 E	-4.44	4.48	S 7 36E	0.02


SNYDER OIL & GAS COMPANY
 LEE, WELL #1
 FAYETTE COUNTY, TEXAS

MEASURED	B O R E - H O L E			TRUE	R E C T A N G U L A R		VERTICAL	C L O S U R E S		DLS
Depth	Incl.	Direction		Vertical	North/South	East/West	SECTION	Distance	Direction	Deg/100'
Feet	D M	D	M	Feet	Feet	Feet	Feet	Feet	D M	
2800.00	0 15	N 30	0 W	2799.97	3.68 S	.16 E	-3.68	3.69	S 2 26E	0.00
3000.00	0 15	N 55	0 W	2999.97	3.05 S	.43 W	-3.05	3.08	S 8 0W	.05
3200.00	1 0	N 5	0 W	3199.96	1.21 S	1.49 W	-1.21	1.92	S50 44W	.43
3400.00	1 15	N 55	0 W	3399.92	2.08 N	3.38 W	2.08	3.97	N58 28W	.49
3600.00	1 15	N 40	0 W	3599.87	5.02 N	6.59 W	5.02	8.28	N52 44W	.16
3800.00	1 30	N 40	0 W	3799.81	8.69 N	9.68 W	8.69	13.01	N48 4W	.13
4000.00	1 45	N 50	0 W	3999.73	12.70 N	13.68 W	12.70	18.67	N47 8W	.19
4200.00	2 0	N 55	0 W	4199.63	16.68 N	18.87 W	16.68	25.18	N48 31W	.15
4400.00	2 0	N 55	0 W	4399.50	20.68 N	24.59 W	20.68	32.13	N49 56W	0.00
4600.00	1 45	N 65	0 W	4599.40	23.95 N	30.24 W	23.95	38.58	N51 37W	.20
4800.00	1 30	N 65	0 W	4799.32	26.34 N	35.39 W	26.34	44.12	N53 20W	.13
5000.00	1 30	N 90	0 W	4999.25	27.47 N	40.46 W	27.47	48.90	N55 49W	.32
5200.00	1 15	N 70	0 W	5199.19	28.30 N	45.16 W	28.30	53.29	N57 55W	.27
5400.00	1 15	N 55	0 W	5399.14	30.31 N	49.02 W	30.31	57.63	N58 16W	.16
5600.00	1 0	N 60	0 W	5599.10	32.42 N	52.33 W	32.42	61.55	N58 13W	.13
5800.00	1 0	N 65	0 W	5799.07	34.03 N	55.42 W	34.03	65.03	N58 27W	0.04
6000.00	1 0	N 75	0 W	5999.04	35.22 N	58.70 W	35.22	68.45	N59 2W	0.09
6200.00	1 0	S 80	0 W	6199.01	35.37 N	62.16 W	35.37	71.52	N60 21W	.22
6400.00	1 0	S 80	0 W	6398.98	34.76 N	65.60 W	34.76	74.24	N62 4W	0.00
6600.00	1 30	S 75	0 W	6598.93	33.82 N	69.85 W	33.82	77.61	N64 10W	.26
6800.00	1 30	N 80	0 W	6798.87	33.59 N	75.04 W	33.59	82.22	N65 53W	.32
7000.00	1 30	N 75	0 W	6998.80	34.73 N	80.15 W	34.73	87.35	N66 34W	.06
7200.00	1 15	N 80	0 W	7198.74	35.76 N	84.83 W	35.76	92.07	N67 8W	.14
7400.00	1 0	N 70	0 W	7398.70	36.78 N	88.62 W	36.78	95.95	N67 27W	.16
7600.00	1 15	N 60	0 W	7598.66	38.44 N	92.17 W	38.44	99.86	N67 22W	.16

SNYDER OIL & GAS COMPANY
 LEE, WELL #1
 FAYETTE COUNTY, TEXAS

MEASURED Depth Feet	B O R E - H O L E		TRUE Vertical Depth Feet	R E C T A N G U L A R C O O R D I N A T E S		VERTICAL SECTION Feet	C L O S U R E S		DLS Deg/100'
	Incl. D M	Direction D M		North/South Feet	East/West Feet		Distance Feet	Direction D M	
7800.00	1 30	N 65 0 W	7798.60	40.65 N	96.43 W	40.65	104.65	N67 8W	.14
8000.00	1 30	N 65 0 W	7998.54	42.86 N	101.17 W	42.86	109.88	N67 2W	0.00
8200.00	1 15	N 70 0 W	8198.48	44.70 N	105.61 W	44.70	114.68	N67 3W	.14
8400.00	1 0	N 60 0 W	8398.44	46.35 N	109.16 W	46.35	118.59	N66 59W	.16
8600.00	1 15	N 70 0 W	8598.40	48.01 N	112.71 W	48.01	122.51	N66 55W	.16
8800.00	1 0	N 70 0 W	8798.36	49.35 N	116.39 W	49.35	126.43	N67 1W	.13
9000.00	1 0	N 75 0 W	8998.33	50.40 N	119.72 W	50.40	129.90	N67 10W	0.04
9200.00	1 30	N 85 0 W	9198.28	51.16 N	124.01 W	51.16	134.15	N67 35W	.27
9400.00	1 45	N 75 0 W	9398.20	52.14 N	129.59 W	52.14	139.69	N68 5W	.19
9600.00	1 45	N 75 0 W	9598.11	53.72 N	135.49 W	53.72	145.75	N68 22W	0.00
9800.00	1 45	N 70 0 W	9798.02	55.56 N	141.31 W	55.56	151.84	N68 32W	.08
10000.00	1 15	N 65 0 W	9997.95	57.56 N	146.15 W	57.56	157.08	N68 30W	.26
10200.00	1 15	N 70 0 W	10197.90	59.23 N	150.18 W	59.23	161.44	N68 28W	.05
10300.00	1 15	N 65 0 W	10297.87	60.07 N	152.20 W	60.07	163.62	N68 28W	.11

Final Station Closure Distance: 163.62 Feet; Direction: N68 28W



Multi-Shot, Inc
11450 FM 1960 West Suite 304
Houston, Texas 77065
Office: (713) 894-5157
Fax: (713) 894-5424

State of Texas
County of Harris

I, Tariq Jallad certify that: I am employed by Multi-Shot, Inc.: that I did on the day (s) of 10-5-95 through 10-5-95 conduct or supervise the taking of a Gyroscopic Multi-Shot survey from a depth of 2200 feet to a depth of 10,300 feet; that the data is true, correct, complete and within the limitations of the tool as set forth by Multi-Shot, Inc.; that I am authorized and qualified to make this report; that this survey was conducted at the request of Snyder for the Lee Well# 1 API NO. 42-149-32930 in Fayette County, Texas; and that I have reviewed this report and find that it conforms to the principles and procedures as set forth by Multi-Shot, Inc..


Tariq Jallad
Surveyor

CURVE DATA : W


1. DELTA 08°11'13"
RADIUS 2794.79'
ARC 399.34'
CHORD N 89°51'30" W
399.00'

2. DELTA 08°00'00"
RADIUS 2794.79'
ARC 390.23'
CHORD N 71°46'30" W
389.91'

SAMUEL P. BROWN
A - 22

L. EVANS, TRUSTEE
40 ACS.
VOL. 703/788

N. TOWNSEND A - 103



J. M. HENSLEY
A - 54

SURF. LOC. TO P.O.E. - N 27°14'31" W 273'
P.O.E. TO B.H.L. - N 26°39'55" W 1950.73'
SURF. LOC. TO B.H.L. - N 26°44'10" W 2223.97'

NUMBERED CALLS : W

- | | |
|---------------------------|---------------------------|
| 1. S 41°15'00" W 1211.59' | 10. N 64°18'00" W 25.77' |
| 2. S 86°03'00" W 25.40' | 11. N 48°45'00" W 309.45' |
| 3. S 49°45'30" W 219.71' | 12. N 03°57'30" W 299.00' |
| 4. S 86°02'30" W 400.00' | 13. N 86°02'30" E 340.00' |
| 5. S 83°10'30" W 200.25' | 14. N 88°54'30" E 200.40' |
| 6. S 86°02'30" W 590.66' | 15. N 86°02'30" E 102.10' |
| 7. N 80°46'30" W 487.16' | 16. S 05°01'00" E 85.90' |
| 8. N 58°03'30" W 485.32' | 17. S 41°15'08" W 600.00' |
| 9. N 64°46'30" W 288.35' | |

MSI Bottom Hole Location
163.62 Feet @ N68-28W of Surface Location
MD 10,300' TVD 10,297.87'
North 60.07' West 152.20'

SURFACE LOCATION :
2649' FROM THE NE LINE OF THE SURVEY, 1238' FROM THE NE LINE OF THE UNIT. 213' FROM THE SE LINE OF THE UNIT AND SURVEY.

POINT OF ENTRY LOCATION :
2546' FROM THE NE LINE OF THE SURVEY. 1145' FROM THE NE LINE OF THE UNIT. 467' FROM THE SE LINE OF THE UNIT AND SURVEY.

BOTTOM HOLE LOCATION :
1765' FROM THE NE LINE OF THE SURVEY. 467' FROM THE NE LINE OF THE UNIT. 2275' FROM THE SE LINE OF THE UNIT AND SURVEY. 467' FROM THE NW LINE OF THE UNIT.

LOCATED APPROXIMATELY : 0.5 MILES SE OF OLDENBURG, TEXAS.

STATE OF TEXAS)
COUNTY OF FAYETTE)

I, LOUIS KNOX, A REGISTERED PROFESSIONAL SURVEYOR, DO HEREBY CERTIFY THAT THIS PLAT SHOWING THE SNYDER OIL CORP., LEE NO.1-H, 166.053 ACRE LEASE IN THE SAMUEL P. BROWN SURVEY A-22, FAYETTE COUNTY, TEXAS WAS PREPARED FROM AN ACTUAL ON THE GROUND SURVEY AND IS CERTIFIED TO BE CORRECT TO THE BEST OF MY KNOWLEDGE AND ABILITY.

BEARINGS ARE RELATED TO THE
TEXAS STATE PLANE COORDINATE
SYSTEM, SOUTH CENTRAL ZONE.
ALL BEARINGS ARE GRID.

DATE OF SIGNATURE, 10--28--94.

LOUIS KNOX & ASSOC., SURVEYORS
P.O. BOX 539
GIDDINGS, TEXAS 78942



LOUIS KNOX,
R.P.S.,
NO. 875

SPERRY-SUN
DRILLING SERVICES

January 6, 1995

Snyder Oil Co.
c/o C.R. Hall
777 Main Street Suite 2500
Fort Worth, TX 76102

RE: LA-MJ-50042
Lee #1-H; 1-H A; I-H A ST 1
Fayette County, Texas
Austin Chalk
Final Surveys

Attn: C.R. Hall

Z 074 170 474

Enclosed you will find:

- 4 2" & 5" Measured Depth Logs
- 4 2" & 5" True Vertical Depth Logs
- 4 Survey Booklets one of which includes the following:
- 1 Copy of Location Plat, with bottom hole location plotted in relation to surface location
- 1 Copy of Lease Document

RECEIVED
R.R.C. - O&G
JAN 12 1995
AUSTIN, TEXAS

All Survey booklets include data from the following sources for the above referenced wells:

Original Well

DGWD Directional Survey data from 10603' to 13888' Measured Depth (tie-in at 10500', provided by customer; projected to TD at 13975')

Sidetrack #1

DGWD Directional Survey data from 10603' to 12466' Measured Depth (tie-in at 10500', provided by customer; projected to TD at 12493')

Sidetrack #2

DGWD Directional Survey data from 10603' to 13947' Measured Depth (tie-in at 10500', provided by customer; projected to TD at 14000')

We are mailing a copy of these results and plat to The Railroad Commission of Texas, Oil and Gas Division, P.O. Box 12967, Capitol Station, Austin, Texas 78711, Attention: Mr. David Triana (Certification Number Z094190474).

We appreciate the opportunity to serve you, and would welcome any comments and/or suggestions about our service. Please feel free to contact me at (800) 765-3061, or Chuck Henkes, Sperry-Sun Drilling Services Sales Representative at (713) 987-4270.

Sincerely,


Debbie A. Hinson
Technical Services

5845 Highway 90 East (70518) • P.O. Box 587 • Broussard, Louisiana 70518
(318) 837-4371 • Fax (318) 837-4400

A Dresser Industries, Inc. Company

P.I.

STATE OF TEXAS

COUNTY/PARISH Jayette County

I/WE: Dickie Nelson
Technical Services

_____, in the employ of the Directional Surveying
Department of Sperry-Sun Well Surveying Company,
did on the 17 day of December 1994;
and the 17 day of December 1994;
and the 17 day of December 1994.

respectively conduct or supervise the taking of a Multi-shot/Single Shot Directional
survey by method indicated:

from a depth of 10603 feet to 13888 feet by Gyroscopic/Magnetic/Oriented Survey
depth of 10603 feet to 12466 feet by Gyroscopic/Magnetic/Oriented Survey
depth of 10603 feet to 13947 feet by Gyroscopic/Magnetic/Oriented Survey
depth of _____ feet to _____ feet by Gyroscopic/Magnetic/Oriented Survey

with records of inclination and direction of inclination being taken at approximately
every 100 feet.

This survey was conducted at the request of Snyder Oil,
for their Lee #1-H, 1-HA, 1-HAST Well No. _____.
DPWD Survey _____ Jayette County/Parish.
State of Texas, in the Austin Creek Field.

I/We certify that this is a true and correct report of such survey and that it affords a
true and correct representation of our findings as to the nature and conditions of the
well at the time the survey was/surveys were made.

Charles Lalonde

STATE OF _____
COUNTY/PARISH OF _____

Before me the undersigned authority/authorities, on this day personally appeared

_____,
known to me to be the person/persons whose name is/names are subscribed to this
instrument, who after being by me duly sworn on oath, states that he has/they have
knowledge of all the facts stated above and that the same is a true and correct
statement of the f
acts therein recited.

Subscribed and sworn to before me this date _____ date of _____ 19____.

Notary Public in and for _____

**SNYDER OIL
DGWD SURVEY REPORT
LEE #1-H
AUSTIN CHALK
FAYETTE COUNTY, TX.
24 NOV 1994 - 17 DEC 1994
LA-MJ-50042**

SPERRY-SUN DRILLING SERVICES
 DGWD DIRECTIONAL SURVEYS
 AUSTIN CHALK FIELD / FAYETTE CO., TEXAS
 TIE ON SURVEY PROVIDED BY CUSTOMER

SNYDER OIL CORPORATION
 LEE # 1-H

17 DEC 1994
 LA-MJ-50042

MEASURED DEPTH	ANGLE DEG	DIRECTION DEG	VERTICAL DEPTH	LATITUDE FEET	DEPARTURE FEET	VERTICAL SECTION	DOG LEG
10500.00	1.50	303.00	10497.42	60.22 N	174.32 W	132.24	0.00
10603.00	1.00	345.20	10600.40	61.82 N	175.68 W	134.28	0.98
10627.00	1.70	327.10	10624.39	62.32 N	175.93 W	134.84	3.38
10658.00	2.90	340.70	10655.37	63.45 N	176.44 W	136.07	4.23
10689.00	6.70	343.00	10686.25	65.92 N	177.22 W	138.63	12.27
10719.00	8.40	345.20	10715.99	69.71 N	178.30 W	142.50	5.75
10750.00	9.50	341.00	10746.61	74.32 N	179.71 W	147.25	4.12
10781.00	11.10	344.20	10777.11	79.61 N	181.35 W	152.72	5.48
10812.00	12.00	343.70	10807.48	85.58 N	183.07 W	158.82	2.92
10843.00	12.00	341.70	10837.81	91.73 N	184.99 W	165.18	1.34
10874.00	11.80	342.10	10868.14	97.81 N	186.97 W	171.49	0.70
10905.00	11.90	343.30	10898.48	103.88 N	188.86 W	177.77	0.86
10968.00	11.30	342.10	10960.19	115.98 N	192.63 W	190.27	1.03
10998.00	11.20	341.70	10989.62	121.54 N	194.45 W	196.05	0.42
11059.00	10.30	340.20	11049.55	132.30 N	198.15 W	207.33	1.54
11120.00	9.40	337.70	11109.65	142.04 N	201.89 W	217.71	1.63
11151.00	8.70	336.60	11140.26	146.53 N	203.78 W	222.57	2.33
11182.00	8.60	335.80	11170.91	150.80 N	205.66 W	227.23	0.50
11212.00	8.30	335.90	11200.58	154.82 N	207.47 W	231.63	1.00
11244.00	8.10	334.90	11232.25	158.97 N	209.37 W	236.19	0.77
11335.00	7.30	334.90	11322.43	170.01 N	214.54 W	248.38	0.88
11427.00	7.10	333.50	11413.71	180.39 N	219.56 W	259.91	0.29
11519.00	6.80	332.10	11505.03	190.29 N	224.64 W	271.04	0.37
11551.00	6.60	331.40	11536.81	193.58 N	226.41 W	274.77	0.68
11612.00	6.10	330.10	11597.44	199.47 N	229.70 W	281.51	0.85
11646.00	6.10	333.30	11631.25	202.65 N	231.41 W	285.12	1.00
11961.00	3.00	287.10	11945.30	220.04 N	246.82 W	307.58	1.45
11993.00	4.00	307.70	11977.25	220.96 N	248.51 W	309.17	4.97
12025.00	13.20	335.60	12008.86	224.98 N	250.90 W	313.84	30.75
12057.00	23.30	335.80	12039.21	234.11 N	255.02 W	323.84	31.56
12089.00	32.50	338.50	12067.46	247.91 N	260.78 W	338.75	29.01
12119.00	41.80	338.50	12091.35	264.75 N	267.41 W	356.77	31.00
12150.00	51.90	339.30	12112.52	285.82 N	275.53 W	379.25	32.63
12182.00	61.20	341.10	12130.14	310.92 N	284.54 W	405.72	29.44
12215.00	70.80	343.00	12143.55	339.57 N	293.80 W	435.47	29.56
12245.00	80.40	342.00	12151.00	367.25 N	302.53 W	464.12	32.16
12277.00	88.90	341.40	12153.98	397.47 N	312.53 W	495.60	26.63
12309.00	90.90	341.60	12154.04	427.82 N	322.68 W	527.27	6.28
12341.00	90.90	341.60	12153.54	458.18 N	332.78 W	558.93	0.00
12373.00	92.50	341.40	12152.59	488.51 N	342.93 W	590.58	5.04

SPERRY-SUN DRILLING SERVICES
 DGWD DIRECTIONAL SURVEYS
 AUSTIN CHALK FIELD / FAYETTE CO., TEXAS
 TIE ON SURVEY PROVIDED BY CUSTOMER

SNYDER OIL CORPORATION
 LEE # 1-H

17 DEC 1994
 LA-MJ-50042

MEASURED DEPTH	ANGLE DEG	DIRECTION DEG	VERTICAL DEPTH	LATITUDE FEET	DEPARTURE FEET	VERTICAL SECTION	DOG LEG
12405.00	95.70	341.80	12150.30	518.79 N	353.01 W	622.16	10.08
12436.00	95.80	342.00	12147.20	548.11 N	362.59 W	652.65	0.72
12468.00	95.70	342.20	12143.99	578.41 N	372.37 W	684.11	0.70
12499.00	95.60	342.30	12140.94	607.79 N	381.78 W	714.58	0.46
12531.00	95.50	342.30	12137.84	638.13 N	391.46 W	746.03	0.31
12563.00	95.40	342.30	12134.80	668.48 N	401.15 W	777.49	0.31
12594.00	95.60	342.50	12131.83	697.89 N	410.48 W	807.96	0.91
12625.00	95.40	342.20	12128.86	727.30 N	419.83 W	838.43	1.16
12656.00	95.30	342.00	12125.97	756.67 N	429.32 W	868.92	0.72
12687.00	95.20	340.90	12123.13	785.93 N	439.14 W	899.48	3.55
12718.00	94.80	340.00	12120.43	815.03 N	449.47 W	930.12	3.17
12750.00	94.50	338.50	12117.84	844.86 N	460.77 W	961.84	4.77
12781.00	94.30	338.50	12115.46	873.62 N	472.10 W	992.61	0.65
12812.00	94.10	338.10	12113.19	902.34 N	483.53 W	1023.41	1.44
12844.00	92.70	336.40	12111.29	931.80 N	495.89 W	1055.27	6.87
12876.00	92.30	334.20	12109.89	960.84 N	509.24 W	1087.22	6.98
12907.00	93.10	335.50	12108.43	988.87 N	522.40 W	1118.17	4.92
12939.00	93.00	335.60	12106.73	1017.96 N	535.63 W	1150.10	0.44
12971.00	92.70	334.60	12105.14	1046.95 N	549.09 W	1182.05	3.26
13002.00	93.00	336.20	12103.60	1075.10 N	561.97 W	1212.98	5.24
13065.00	93.10	335.50	12100.25	1132.50 N	587.71 W	1275.83	1.12
13097.00	92.90	332.10	12098.57	1161.17 N	601.82 W	1307.78	10.63
13129.00	92.70	330.40	12097.01	1189.19 N	617.19 W	1339.72	5.34
13160.00	92.60	330.60	12095.58	1216.15 N	632.44 W	1370.65	0.72
13192.00	92.70	331.40	12094.10	1244.10 N	647.94 W	1402.59	2.52
13256.00	90.90	333.40	12092.09	1300.79 N	677.57 W	1466.55	4.20
13288.00	89.90	333.40	12091.86	1329.40 N	691.90 W	1498.55	3.13
13319.00	89.10	333.40	12092.13	1357.12 N	705.78 W	1529.55	2.58
13351.00	88.50	333.00	12092.80	1385.67 N	720.20 W	1561.54	2.25
13383.00	87.40	333.00	12093.95	1414.17 N	734.72 W	1593.52	3.44
13415.00	86.70	333.00	12095.59	1442.64 N	749.23 W	1625.47	2.19
13445.00	88.59	333.90	12096.83	1469.45 N	762.63 W	1655.45	6.98
13476.00	90.79	334.40	12096.99	1497.35 N	776.14 W	1686.44	7.28
13508.00	90.18	334.60	12096.72	1526.23 N	789.92 W	1718.43	2.01
13540.00	89.74	335.10	12096.75	1555.20 N	803.52 W	1750.42	2.08
13572.00	89.12	335.00	12097.06	1584.21 N	817.02 W	1782.40	1.96
13604.00	88.60	335.10	12097.70	1613.22 N	830.51 W	1814.38	1.65
13699.00	87.10	335.50	12101.26	1699.46 N	870.18 W	1909.25	1.63
13794.00	85.40	335.80	12107.48	1785.82 N	909.26 W	2003.96	1.82
13888.00	83.20	336.20	12116.81	1871.26 N	947.31 W	2097.38	2.38

SPERRY-SUN DRILLING SERVICES
DGWD DIRECTIONAL SURVEYS
AUSTIN CHALK FIELD / FAYETTE CO., TEXAS
TIE ON SURVEY PROVIDED BY CUSTOMER

SNYDER OIL CORPORATION
LEE # 1-H

17 DEC 1994
LA-MJ-50042

MEASURED DEPTH	ANGLE DEG	DIRECTION DEG	VERTICAL DEPTH	LATITUDE FEET	DEPARTURE FEET	VERTICAL SECTION	DOG LEG
13975.00	83.20	336.20	12127.11	1950.31 N	982.17 W	2183.65	0.00

THE DOGLEG SEVERITY IS IN DEGREES PER 100.00 FEET
THE VERTICAL SECTION WAS COMPUTED ALONG 333.25° (TRUE)

BASED UPON MINIMUM CURVATURE TYPE CALCULATIONS. THE BOTTOM HOLE
DISPLACEMENT IS 2183.65 FEET, IN THE DIRECTION OF 333.27° (TRUE)

SURVEYS CORRECTED 5.885 DEG. EAST (TRUE) FROM MAG. NORTH TO TEXAS SOUTH
CENTRAL STATE PLANE GRID.

SURVEY AT 13975 FT. MD. HAS BEEN PROJECTED TO TD.
SPERRY SUN ENGINEERS: C. JOLIVETTE, K. STACY

SPERRY-SUN DRILLING SERVICES

VERTICAL PROJECTION

SNYDER OIL CORPORATION

LEE # 1-H


17 DEC 1994

LA-MJ-50042

START TVD = 10497.42

FINISH TVD = 12127.11

SCALE IS 400 FEET/IN



VERTICAL SECTION

2183.65 FEET AT N 26 DEG 45 MIN W

SSDS 3.11

A: MJ50042

SPERRY-SUN DRILLING SERVICES

HORIZONTAL PROJECTION

SNYDER OIL CORPORATION

LEE # 1-H


17 DEC 1994

LA-MJ-50042

START TVD = 10497.42

FINISH TVD = 12127.11

SCALE IS 400 FEET/IN



SPERRY-SUN DRILLING SERVICES

VERTICAL/HORIZONTAL PROJECTION

SNYDER OIL CORPORATION

LEE # 1-H

17 DEC 1994


LA-MJ-50042

START TVD = 10497.42

FINISH TVD = 12127.11

VERT SECT SCALE IS 400 FEET/IN

HORT SECT SCALE IS 750 FEET/IN



DIRECTIONAL
SURVEY
REPORT

SNYDER OIL CORP.

LEE #1-H "A" LATERAL
17-Dec-94

SPERRY-SUN DRILLING SERVICES
DIRECTIONAL DGWD SURVEY
AUSTIN CHALK FIELD / FAYETTE COUNTY, TEXAS
TIE IN FURNISHED BY CUSTOMER

SNYDER OIL CORP.
LEE #1-H "A" LATERAL

17-Dec-94
LA-MJ-50042

MEASURED DEPTH	ANGLE DEG	DIRECTION DEG	VERTICAL DEPTH	LATITUDE FEET	DEPARTURE FEET	VERTICAL SECTION	DOG LEG
10500.00	1.50	303.00	10497.42	60.22 N	174.32 W	132.24	0.00
10603.00	1.00	345.20	10600.40	61.82 N	175.68 W	134.28	0.98
10627.00	1.70	327.10	10624.39	62.32 N	175.93 W	134.84	3.38
10658.00	2.90	340.70	10655.37	63.45 N	176.44 W	136.07	4.23
10689.00	6.70	343.00	10686.25	65.92 N	177.22 W	138.63	12.27
10719.00	8.40	345.20	10715.99	69.71 N	178.30 W	142.50	5.75
10750.00	9.50	341.00	10746.61	74.32 N	179.71 W	147.25	4.12
10781.00	11.10	344.20	10777.11	79.61 N	181.35 W	152.72	5.48
10812.00	12.00	343.70	10807.48	85.58 N	183.07 W	158.82	2.92
10843.00	12.00	341.70	10837.81	91.73 N	184.99 W	165.18	1.34
10874.00	11.80	342.10	10868.14	97.81 N	186.97 W	171.49	0.70
10905.00	11.90	343.30	10898.48	103.88 N	188.86 W	177.77	0.86
10968.00	11.30	342.10	10960.19	115.98 N	192.63 W	190.27	1.03
10998.00	11.20	341.70	10989.62	121.54 N	194.45 W	196.05	0.42
11059.00	10.30	340.20	11049.55	132.30 N	198.15 W	207.33	1.54
11120.00	9.40	337.70	11109.65	142.04 N	201.89 W	217.71	1.63
11151.00	8.70	336.60	11140.26	146.53 N	203.78 W	222.57	2.33
11182.00	8.60	335.80	11170.91	150.80 N	205.66 W	227.23	0.50
11212.00	8.30	335.90	11200.58	154.82 N	207.47 W	231.63	1.00
11244.00	8.10	334.90	11232.25	158.97 N	209.37 W	236.19	0.77
11335.00	7.30	334.90	11322.43	170.01 N	214.54 W	248.38	0.88
11427.00	7.10	333.50	11413.71	180.39 N	219.56 W	259.91	0.29
11519.00	6.80	332.10	11505.03	190.29 N	224.64 W	271.04	0.37
11551.00	6.60	331.40	11536.81	193.58 N	226.41 W	274.77	0.68
11612.00	6.10	330.10	11597.44	199.47 N	229.70 W	281.51	0.85
11961.00	2.99	287.14	11945.38	218.24 N	247.65 W	306.35	1.26
11993.00	4.04	307.71	11977.33	219.17 N	249.34 W	307.95	5.08
12025.00	13.18	335.66	12008.94	223.20 N	251.74 W	312.62	30.60
12057.00	23.29	335.83	12039.29	232.32 N	255.85 W	322.61	31.59
12089.00	32.52	338.47	12067.54	246.12 N	261.61 W	337.53	29.09
12119.00	41.84	338.47	12091.42	262.96 N	268.25 W	355.56	31.07
12150.00	51.94	339.35	12112.58	284.06 N	276.37 W	378.05	32.65
12182.00	61.20	341.10	12130.19	309.17 N	285.38 W	404.53	29.29
12213.00	66.90	344.10	12143.75	335.76 N	293.69 W	432.01	20.34
12244.00	64.07	343.74	12156.61	362.86 N	301.50 W	459.73	9.19
12276.00	65.30	342.16	12170.30	390.51 N	309.98 W	488.24	5.89
12306.00	66.80	342.16	12182.47	416.61 N	318.38 W	515.33	5.00
12339.00	68.82	341.98	12194.94	445.68 N	327.79 W	545.52	6.14
12371.00	70.31	341.63	12206.11	474.16 N	337.15 W	575.17	4.77
12403.00	72.10	342.00	12216.42	502.94 N	346.61 W	605.12	5.70

SPERRY-SUN DRILLING SERVICES
DIRECTIONAL DGWD SURVEY
AUSTIN CHALK FIELD / FAYETTE COUNTY, TEXAS
TIE IN FURNISHED BY CUSTOMER

SNYDER OIL CORP.
LEE #1-H "A" LATERAL

17-Dec-94
LA-MJ-50042

MEASURED DEPTH	ANGLE DEG	DIRECTION DEG	VERTICAL DEPTH	LATITUDE FEET	DEPARTURE FEET	VERTICAL SECTION	DOG LEG
12434.00	73.00	342.90	12225.72	531.14 N	355.52 W	634.32	4.01
12466.00	74.20	343.20	12234.75	560.50 N	364.47 W	664.57	3.86
12493.00	75.60	343.60	12241.78	585.48 N	371.92 W	690.23	5.38

THE DOGLEG SEVERITY IS IN DEGREES PER 100.00 FEET
THE VERTICAL SECTION WAS COMPUTED ALONG 333.25° (TRUE)

BASED UPON MINIMUM CURVATURE TYPE CALCULATIONS. THE BOTTOM HOLE
DISPLACEMENT IS 693.63 FEET, IN THE DIRECTION OF 327.58° (TRUE)

A DECLINATION (TRUE) OF 5.9 DEGREES HAS BEEN CORRECTED FROM MAGNETIC
NORTH TO TEXAS CENTRAL STATE PLANE GRID.
THE SURVEY AT 12493 FEET MD HAS BEEN PROJECTED TO TD.
SPERRY SUN SURVEYORS: C. JOLIVETTE, K. STACY

SPERRY-SUN DRILLING SERVICES

VERTICAL PROJECTION

SNYDER OIL CORP.

LEE #1-H "A" LATERAL


17-Dec-94

LA-MJ-50042

START TVD = 10497.42

FINISH TVD = 12241.78

SCALE IS 300 FEET/IN



VERTICAL SECTION

690.23 FEET AT N 26 DEG 45 MIN W

SPERRY-SUN DRILLING SERVICES

HORIZONTAL PROJECTION

SNYDER OIL CORP.

LEE #1-H "A" LATERAL


17-Dec-94

LA-MJ-50042

START TVD = 10497.42

FINISH TVD = 12241.78

SCALE IS 100 FEET/IN



SPERRY-SUN DRILLING SERVICES

VERTICAL/HORIZONTAL PROJECTION

SNYDER OIL CORP.

LEE #1-H "A" LATERAL

17-Dec-94


LA-MJ-50042

START TVD = 10497.42

FINISH TVD = 12241.78

VERT SECT SCALE IS 300 FEET/IN

HORT SECT SCALE IS 200 FEET/IN



DIRECTIONAL
SURVEY
REPORT

SNYDER OIL CORP.

LEE #1-H "A" S/T 1
17-Dec-94

SPERRY-SUN DRILLING SERVICES
DIRECTIONAL DGWD SURVEY
AUSTIN CHALK FIELD / FAYETTE COUNTY, TEXAS
TIE IN FURNISHED BY CUSTOMER

SNYDER OIL CORP.
LEE #1-H "A" S/T 1

17-Dec-94
LA-MJ-50042

MEASURED DEPTH	ANGLE DEG	DIRECTION DEG	VERTICAL DEPTH	LATITUDE FEET	DEPARTURE FEET	VERTICAL SECTION	DOG LEG
10500.00	1.50	303.00	10497.42	60.22 N	174.32 W	132.24	0.00
10603.00	1.00	345.20	10600.40	61.82 N	175.68 W	134.28	0.98
10627.00	1.70	327.10	10624.39	62.32 N	175.93 W	134.84	3.38
10658.00	2.90	340.70	10655.37	63.45 N	176.44 W	136.07	4.23
10689.00	6.70	343.00	10686.25	65.92 N	177.22 W	138.63	12.27
10719.00	8.40	345.20	10715.99	69.71 N	178.30 W	142.50	5.75
10750.00	9.50	341.00	10746.61	74.32 N	179.71 W	147.25	4.12
10781.00	11.10	344.20	10777.11	79.61 N	181.35 W	152.72	5.48
10812.00	12.00	343.70	10807.48	85.58 N	183.07 W	158.82	2.92
10843.00	12.00	341.70	10837.81	91.73 N	184.99 W	165.18	1.34
10874.00	11.80	342.10	10868.14	97.81 N	186.97 W	171.49	0.70
10905.00	11.90	343.30	10898.48	103.88 N	188.86 W	177.77	0.86
10968.00	11.30	342.10	10960.19	115.98 N	192.63 W	190.27	1.03
10998.00	11.20	341.70	10989.62	121.54 N	194.45 W	196.05	0.42
11059.00	10.30	340.20	11049.55	132.30 N	198.15 W	207.33	1.54
11120.00	9.40	337.70	11109.65	142.04 N	201.89 W	217.71	1.63
11151.00	8.70	336.60	11140.26	146.53 N	203.78 W	222.57	2.33
11182.00	8.60	335.80	11170.91	150.80 N	205.66 W	227.23	0.50
11212.00	8.30	335.90	11200.58	154.82 N	207.47 W	231.63	1.00
11244.00	8.10	334.90	11232.25	158.97 N	209.37 W	236.19	0.77
11335.00	7.30	334.90	11322.43	170.01 N	214.54 W	248.38	0.88
11427.00	7.10	333.50	11413.71	180.39 N	219.56 W	259.91	0.29
11519.00	6.80	332.10	11505.03	190.29 N	224.64 W	271.04	0.37
11551.00	6.60	331.40	11536.81	193.58 N	226.41 W	274.77	0.68
11612.00	6.10	330.10	11597.44	199.47 N	229.70 W	281.51	0.85
11646.00	6.10	333.30	11631.25	202.65 N	231.41 W	285.12	1.00
11961.00	2.99	287.14	11945.31	220.03 N	246.79 W	307.57	1.45
11993.00	4.04	307.71	11977.25	220.97 N	248.48 W	309.16	5.08
12025.00	13.18	335.66	12008.86	224.99 N	250.88 W	313.84	30.60
12057.00	23.29	335.83	12039.22	234.11 N	254.99 W	323.83	31.59
12089.00	32.52	338.47	12067.47	247.91 N	260.75 W	338.75	29.09
12119.00	41.84	338.47	12091.34	264.76 N	267.39 W	356.78	31.07
12150.00	51.94	339.35	12112.50	285.85 N	275.51 W	379.27	32.65
12181.00	59.68	341.63	12129.91	310.01 N	284.05 W	404.68	25.70
12213.00	61.17	340.05	12145.70	336.30 N	293.18 W	432.27	6.33
12245.00	62.93	339.87	12160.70	362.85 N	302.87 W	460.34	5.52
12277.00	65.57	338.12	12174.60	389.75 N	313.21 W	489.01	9.61
12308.00	68.10	336.40	12186.80	416.03 N	324.22 W	517.44	9.62
12340.00	70.00	335.10	12198.24	443.28 N	336.50 W	547.30	7.05
12372.00	72.42	334.25	12208.55	470.66 N	349.46 W	577.58	7.97

SPERRY-SUN DRILLING SERVICES
DIRECTIONAL DGWD SURVEY
AUSTIN CHALK FIELD / FAYETTE COUNTY, TEXAS
TIE IN FURNISHED BY CUSTOMER

SNYDER OIL CORP.
LEE #1-H "A" S/T 1

17-Dec-94
LA-MJ-50042

MEASURED DEPTH	ANGLE DEG	DIRECTION DEG	VERTICAL DEPTH	LATITUDE FEET	DEPARTURE FEET	VERTICAL SECTION	DOG LEG
12403.00	74.71	333.37	12217.32	497.34 N	362.58 W	607.31	7.87
12435.00	78.40	332.32	12224.75	525.02 N	376.79 W	638.42	11.96
12467.00	80.07	332.14	12230.73	552.84 N	391.43 W	669.86	5.25
12498.00	81.39	331.44	12235.73	579.80 N	405.89 W	700.44	4.81
12530.00	83.94	330.91	12239.81	607.60 N	421.20 W	732.15	8.14
12560.00	86.48	330.21	12242.32	633.63 N	435.89 W	762.01	8.78
12592.00	89.50	329.70	12243.44	661.31 N	451.90 W	793.94	9.57
12624.00	92.64	328.98	12242.84	688.83 N	468.21 W	825.85	10.07
12654.00	94.66	328.98	12240.93	714.49 N	483.64 W	855.71	6.73
12686.00	94.60	328.40	12238.35	741.74 N	500.21 W	887.50	1.82
12717.00	94.31	328.27	12235.94	768.04 N	516.44 W	918.30	1.02
12749.00	93.69	328.45	12233.71	795.22 N	533.18 W	950.10	2.02
12780.00	94.04	329.85	12231.62	821.77 N	549.04 W	980.95	4.65
12812.00	94.57	332.32	12229.22	849.70 N	564.47 W	1012.83	7.87
12844.00	94.57	331.96	12226.67	877.90 N	579.38 W	1044.73	1.12
12876.00	94.48	332.14	12224.14	906.08 N	594.33 W	1076.62	0.63
12907.00	96.33	333.19	12221.22	933.50 N	608.50 W	1107.48	6.85
12939.00	98.00	336.01	12217.23	962.17 N	622.12 W	1139.21	10.18
12970.00	98.17	336.71	12212.87	990.29 N	634.43 W	1169.86	2.30
13001.00	97.03	338.12	12208.77	1018.66 N	646.23 W	1200.51	5.82
13033.00	96.06	338.82	12205.12	1048.23 N	657.89 W	1232.17	3.73
13065.00	95.98	338.47	12201.77	1077.87 N	669.48 W	1263.85	1.12
13096.00	95.80	338.29	12198.58	1106.54 N	680.84 W	1294.56	0.82
13127.00	95.54	338.82	12195.52	1135.25 N	692.12 W	1325.28	1.90
13160.00	95.27	338.47	12192.41	1165.85 N	704.09 W	1357.98	1.34
13192.00	94.90	339.00	12189.58	1195.55 N	715.65 W	1389.71	2.01
13224.00	94.66	338.82	12186.91	1225.30 N	727.12 W	1421.45	0.94
13256.00	94.48	338.29	12184.36	1254.99 N	738.78 W	1453.21	1.74
13287.00	94.13	338.64	12182.03	1283.75 N	750.13 W	1483.99	1.59
13319.00	94.04	338.64	12179.75	1313.47 N	761.75 W	1515.77	0.28
13351.00	93.78	337.94	12177.57	1343.14 N	773.56 W	1547.57	2.33
13383.00	93.60	338.12	12175.51	1372.75 N	785.51 W	1579.39	0.79
13415.00	94.50	339.30	12173.25	1402.49 N	797.10 W	1611.17	4.63
13444.00	95.10	340.60	12170.83	1429.64 N	807.01 W	1639.87	4.92
13476.00	94.80	340.60	12168.06	1459.71 N	817.60 W	1671.49	0.94
13507.00	94.40	340.80	12165.58	1488.87 N	827.81 W	1702.13	1.44
13539.00	94.00	340.20	12163.23	1518.95 N	838.46 W	1733.78	2.25
13571.00	93.00	339.90	12161.28	1548.98 N	849.36 W	1765.50	3.26
13602.00	92.80	339.90	12159.71	1578.05 N	860.00 W	1796.25	0.65
13634.00	92.80	341.10	12158.15	1608.18 N	870.67 W	1827.96	3.75

SPERRY-SUN DRILLING SERVICES
DIRECTIONAL DGWD SURVEY
AUSTIN CHALK FIELD / FAYETTE COUNTY, TEXAS
TIE IN FURNISHED BY CUSTOMER

SNYDER OIL CORP.
LEE #1-H "A" S/T 1

17-Dec-94
LA-MJ-50042

MEASURED DEPTH	ANGLE DEG	DIRECTION DEG	VERTICAL DEPTH	LATITUDE FEET	DEPARTURE FEET	VERTICAL SECTION	DOG LEG
13666.00	92.70	342.00	12156.61	1638.50 N	880.79 W	1859.59	2.83
13698.00	92.70	341.60	12155.11	1668.86 N	890.77 W	1891.20	1.25
13730.00	92.60	342.50	12153.63	1699.27 N	900.62 W	1922.78	2.83
13762.00	92.60	343.00	12152.18	1729.80 N	910.10 W	1954.31	1.56
13793.00	92.70	344.10	12150.74	1759.50 N	918.87 W	1984.78	3.56
13824.00	92.50	344.60	12149.34	1789.32 N	927.22 W	2015.17	1.74
13854.00	92.80	344.60	12147.95	1818.21 N	935.18 W	2044.55	1.00
13885.00	92.80	345.00	12146.43	1848.09 N	943.30 W	2074.89	1.29
13916.00	92.70	345.70	12144.95	1878.05 N	951.13 W	2105.16	2.28
13947.00	92.60	345.10	12143.51	1908.02 N	958.94 W	2135.44	1.96
14000.00	92.60	345.10	12141.11	1959.18 N	972.55 W	2187.25	0.00

THE DOGLEG SEVERITY IS IN DEGREES PER 100.00 FEET
THE VERTICAL SECTION WAS COMPUTED ALONG 333.25° (TRUE)

BASED UPON MINIMUM CURVATURE TYPE CALCULATIONS. THE BOTTOM HOLE
DISPLACEMENT IS 2187.29 FEET, IN THE DIRECTION OF 333.60° (TRUE)

A DECLINATION (TRUE) OF 5.9 DEGREES HAS BEEN CORRECTED FROM MAGNETIC
NORTH TO TEXAS CENTRAL STATE PLANE GRID.

THE SURVEY AT 14000 FEET MD HAS BEEN PROJECTED TO TD.


SPERRY SUN ENGINEERS: C. JOLIVETTE, D. MARR

SPERRY-SUN DRILLING SERVICES

VERTICAL PROJECTION

SNYDER OIL CORP.
LEE #1-H "A" S/T 1
17-Dec-94
LA-MJ-50042

START TVD = 10497.42
FINISH TVD = 12141.11
SCALE IS 400 FEET/IN




SPERRY-SUN DRILLING SERVICES

HORIZONTAL PROJECTION

SNYDER OIL CORP.
LEE #1-H "A" S/T 1
17-Dec-94
LA-MJ-50042

START TVD = 10497.42
FINISH TVD = 12141.11
SCALE IS 400 FEET/IN



SPERRY-SUN DRILLING SERVICES

VERTICAL/HORIZONTAL PROJECTION

SNYDER OIL CORP.

LEE #1-H "A" S/T 1

17-Dec-94


LA-MJ-50042

START TVD = 10497.42

FINISH TVD = 12141.11

VERT SECT SCALE IS 400 FEET/IN

HORT SECT SCALE IS 750 FEET/IN




CURVE DATA : (1)

1. DELTA 08°11'13"
RADIUS 2794.79'
ARC 399.34'
CHORD N 89°51'30" W
399.00'

2. DELTA 08°00'00"
RADIUS 2794.79'
ARC 390.23'
CHORD N 71°46'30" W
389.91'

SAMUEL P. BROWN
A - 22

L. EVANS, TRUSTEE
60 ACS.
VOL. 703/788



J. M. HENSLEY
A - 54

SURF. LOC. TO P.O.E. - N 27°14'31" W 273'
P.O.E. TO B.H.L. - N 26°39'55" W 1950.73'
SURF. LOC. TO B.H.L. - N 26°44'10" W 2223.97'

NUMBERED CALLS : (1)

- | | |
|---------------------------|---------------------------|
| 1. S 41°15'00" W 1211.59' | 10. N 84°18'00" W 25.77' |
| 2. S 86°03'00" W 25.40' | 11. N 48°45'00" W 309.45' |
| 3. S 49°46'30" W 319.71' | 12. N 03°57'30" W 289.00' |
| 4. S 86°02'30" W 400.00' | 13. N 86°02'30" E 340.00' |
| 5. S 83°10'30" W 200.25' | 14. N 88°54'30" E 200.40' |
| 6. S 86°02'30" W 590.86' | 15. N 86°02'30" E 102.10' |
| 7. N 80°46'30" W 487.16' | 16. S 05°01'00" E 88.90' |
| 8. N 58°03'30" W 486.32' | 17. S 41°15'08" W 800.00' |
| 9. N 84°46'30" W 288.33' | |

SPERRY & CO.
DATE SURVEYED
SUBV. NO.
TIE-6-67
B.H.L. 12466
AT 327.58
FROM
CHL 900
LA-MJ-50042
Dec 17, 94
10603
Snyder
12466
693.63
NW

SCALE 1"=1000'

SURFACE LOCATION :
2649' FROM THE NE LINE OF THE SURVEY. 1238' FROM THE NE LINE OF THE UNIT. 213' FROM THE SE LINE OF THE UNIT AND SURVEY.

POINT OF ENTRY LOCATION :
2546' FROM THE NE LINE OF THE SURVEY. 1145' FROM THE NE LINE OF THE UNIT. 467' FROM THE SE LINE OF THE UNIT AND SURVEY.

BOTTOM HOLE LOCATION :
1766' FROM THE NE LINE OF THE SURVEY. 467' FROM THE NE LINE OF THE UNIT. 2275' FROM THE SE LINE OF THE UNIT AND SURVEY. 467' FROM THE NW LINE OF THE UNIT.

LOCATED APPROXIMATELY ± 0.5 MILES SE OF OLDENBURG, TEXAS.

STATE OF TEXAS
COUNTY OF FAYETTE

I, LOUIS KNOX, A REGISTERED PROFESSIONAL SURVEYOR, DO HEREBY CERTIFY THAT THIS PLAT SHOWING THE SNYDER OIL CORP., LEE NO. 1-H, 166.053 ACRE LEASE IN THE SAMUEL P. BROWN SURVEY A-22, FAYETTE COUNTY, TEXAS WAS PREPARED FROM AN ACTUAL ON THE GROUND SURVEY AND IS CERTIFIED TO BE CORRECT TO THE BEST OF MY KNOWLEDGE AND ADILITY.

BEARINGS ARE RELATED TO THE TEXAS STATE PLANE COORDINATE SYSTEM. SOUTH CENTRAL ZONE. ALL BEARINGS ARE GRID.

DATE OF SIGNATURE, 10--28--94.

LOUIS KNOX & ASSOC., SURVEYORS
P.O. BOX 839
GIDDINGS, TEXAS 78942



LOUIS KNOX,
R.P.S.,
NO. 875

CURVE DATA : (1)


1. DELTA 08°11'13"
RADIUS 2794.79'
ARC 399.34'
CHORD N 69°31'30" W
399.00'

2. DELTA 08°00'00"
RADIUS 2794.79'
ARC 390.23'
CHORD N 71°46'30" W
389.91'

SAMUEL P. BROWN
A - 22

L. EVANS, TRUSTEE
60 ACS.
VOL. 703/788

N. TOWNSEND A - 103



J. M. HENSLEY
A - 54

SURF. LOC. TO P.O.E. - N 27°14'31" W 273'
P.O.E. TO B.H.L. - N 26°39'55" W 1950.73'
SURF. LOC. TO B.H.L. - N 26°44'10" W 2223.97'

NUMBERED CALLS : (1)

1. S 41°18'00" W 1211.59'
2. S 86°03'00" W 25.40'
3. S 49°46'30" W 919.71'
4. S 86°02'30" W 400.00'
5. S 83°10'30" W 200.23'
6. S 86°02'30" W 590.86'
7. N 80°46'30" W 487.16'
8. N 68°03'30" W 485.32'
9. N 84°46'30" W 288.33'

10. N 64°18'00" W 25.77'
11. N 48°45'00" W 309.45'
12. N 03°57'30" W 289.00'
13. N 86°02'30" E 340.00'
14. N 86°54'30" E 200.40'
15. N 86°02'30" E 102.10'
16. S 05°01'00" E 88.90'
17. S 41°16'08" W 600.00'

SPERRY-SURV. CO. LA-MJ-50042
DATE SURV. MADE Dec. 17, 94
SURVEYED BY 10605 J. M. HENSLEY
TIE-ON COE Snyder Oil
BHL AT 13888 2183.65'
AT 332.27
FROM SURFACE TO BHL 440' NW

SCALE 1"=1000'

SURFACE LOCATION :
2649' FROM THE NE LINE OF THE SURVEY. 1238' FROM THE NE LINE OF THE UNIT. 213' FROM THE SE LINE OF THE UNIT AND SURVEY.

POINT OF ENTRY LOCATION :
2546' FROM THE NE LINE OF THE SURVEY. 1145' FROM THE NE LINE OF THE UNIT. 467' FROM THE SE LINE OF THE UNIT AND SURVEY.

BOTTOM HOLE LOCATION :
1766' FROM THE NE LINE OF THE SURVEY. 467' FROM THE NE LINE OF THE UNIT. 2275' FROM THE SE LINE OF THE UNIT AND SURVEY. 467' FROM THE NW LINE OF THE UNIT.

LOCATED APPROXIMATELY ± 0.5 MILES SE OF OLDENBURG, TEXAS.

STATE OF TEXAS
COUNTY OF FAYETTE

I, LOUIS KNOX, A REGISTERED PROFESSIONAL SURVEYOR, DO HEREBY CERTIFY THAT THIS PLAT SHOWING THE SNYDER OIL CORP., LEE NO.1-H, 166.053 ACRE LEASE IN THE SAMUEL P. BROWN SURVEY A-22, FAYETTE COUNTY, TEXAS WAS PREPARED FROM AN ACTUAL ON THE GROUND SURVEY AND IS CERTIFIED TO BE CORRECT TO THE BEST OF MY KNOWLEDGE AND ABILITY.

BEARINGS ARE RELATED TO THE TEXAS STATE PLANE COORDINATE SYSTEM, SOUTH CENTRAL ZONE. ALL BEARINGS ARE GRID.

DATE OF SIGNATURE, 10--28--94.

LOUIS KNOX & ASSOC., SURVEYORS
P.O. BOX 539
GIDDINGS, TEXAS 78942



LOUIS KNOX,
R.P.S.,
NO. 875

Schlumberger

1/24/00

Railroad Commission of Texas
Oil and Gas Division
PO Box 12967
Capital Station
Austin, Texas 78711

Attention: Cathy Garrison

Re:

Patterson
Lee # 1-H ST-03
Patterson # 24
Fayette, TX
API No. ~~4214992890~~ 149-37930
JSO# 40004241

Enclosed, please find the original copy of the survey performed on the referenced well by Anadrill, a division of Schlumberger Technology Corporation (P-5 No. 754900). Other information required by your office is as follows.

<u>Name & Title of Surveyor</u>	<u>Drainhole Number</u>	<u>Surveyed Depths</u>	<u>Dates Performed</u>	<u>Type of Survey</u>
Scott Bradley	Original Hole	11646 - 13256	12/20/99 - 1/6/00	MWD
MWD 2				

A certified plat on the bottom hole located is oriented both to the surface location and to the lease lines (or until line in case of pooling) is attached to survey report. If any other information is required, please contact the undersigned at the letterhead address and phone number.

Sincerely,

Lu-Ann Emeish

CERTIFIED

Z 101 848 802

MAIL

CC:Patterson
Fedex # :8170 9523 4527
Enclosures: [2]
Certified RRC:Z 101 848 802

Schlumberger

State of Texas

County of Fort Bend

I, Scott Bradley certify that; I am employed by Anadrill, a division of Schlumberger Technology Corporation; that I did on the day(s) of 12/20/99 through 1/6/00 conduct or supervise the taking of the MWD surveys from a depth of 11646 feet to a depth of 13256 feet; that the data is true, correct, complete and within the limitations of the tool as set forth by Anadrill, a division of Schlumberger Technology Corporation; that I am authorized and qualified to make this report; that this survey was conducted at the request of Patterson for the Lee # 1-H ST-03 Well (Original Hole) API No. 4214932830 in, Texas; and that I have reviewed this report and find that it conforms to the principals and procedures as set forth by Anadrill, a division of Schlumberger Technology Corporation.



Scott Bradley

MWD 2

ANADRILL

SCHLUMBERGER

Survey report

6-Jan-2000 11:11:14

Page 1 of 3

Client.....: Patterson Petroleum
Field.....: Walhalla

Well.....: Lee #1-H ST3
API number.....: 42-149-32830
Engineer.....: Bradley

COUNTY.....: Fayette
STATE.....: Texas

----- Survey calculation methods-----

Method for positions.....: Minimum curvature
Method for DLS.....: Mason & Taylor

----- Depth reference -----

Permanent datum.....: GROUND LEVEL
Depth reference.....: Drillers
GL above permanent.....: 432.00 ft
KB above permanent.....: 452.00 ft
DF above permanent.....: 450.00 ft

----- Vertical section origin-----

Latitude (+N/S-).....: 0.00 ft
Departure (+E/W-).....: 0.00 ft

----- Platform reference point-----

Latitude (+N/S-).....: -999.25 ft
Departure (+E/W-).....: -999.25 ft

Azimuth from rotary table to target: 297.53 degrees

Spud date.....: 12-10-99
Last survey date.....: 06-Jan-00
Total accepted surveys...: 39
MD of first survey.....: 11646.00 ft
MD of last survey.....: 13256.00 ft

----- Geomagnetic data -----

Magnetic model.....: BGGM version 1999
Magnetic date.....: 18-Dec-1999
Magnetic field strength...: 988.21 HCNT
Magnetic dec (+E/W-).....: 5.27 degrees
Magnetic dip.....: 59.58 degrees

----- MWD survey Reference Criteria -----

Reference G.....: 999.29 mGal
Reference H.....: 974.00 HCNT
Reference Dip.....: 59.40 degrees
Tolerance of G.....: (+/-) 2.50 mGal
Tolerance of H.....: (+/-) 6.00 HCNT
Tolerance of Dip.....: (+/-) 0.45 degrees

----- Corrections -----

Magnetic dec (+E/W-).....: 5.35 degrees
Grid convergence (+E/W-)..: 1.10 degrees
Total az corr (+E/W-).....: 4.25 degrees
(Total az corr = magnetic dec - grid conv)
Sag applied (Y/N).....: No degree: 0.00



February 1 , 2000

Ms. Cathy Garrison
Railroad Commission of Texas
Oil & Gas Division
Capitol Station
P.O. Box 12967
Austin, TX 78711

Re: Directional Survey Filing
Certification No. P 502 911 091

For: Patterson Petroleum, Inc.
Well Lee #1H RE
RRC Lease/Gas ID "not assigned"
Walhalla (Glenrose)
Fayette County, Texas
API No. 42-149-32930


Dear Ms. Garrison,

Enclosed, please find the original and one copy of the survey performed on the referenced well by Weatherford, P5# 902745. Other information required by your office is as follows:

Name & Title of Surveyor	Drainhole Number	Surveyed Depths	Dates Performed	Type of Survey
Kenneth M. (Mike) Nero	Sidetrack 01	13419.0-14752.0	Jan 10-22/00	Steering tool

A certified plat on which the bottom hole location is oriented both to the surface location and to the lease lines (or unit lines in case of pooling) is attached to the survey report. If any other information is required, please contact the undersigned at the letterhead address and phone number.

Sincerely,
Weatherford



Kenneth M. (Mike) Nero
Product Line Manager

KMN/msc
Attachments
Job # 0002

CERTIFIED

P 502 911 091

MAIL



PERFORMANCE CERTIFICATION

Ms. Cathy Garrison
Railroad Commission of Texas
Oil & Gas Division
Capitol Station
P.O. Box 12967
Austin, TX 78711

Re: Directional Survey Filing
Certification No. P 502 911 091

For: Patterson Petroleum, Inc.
Well Lee #1H RE
RRC Lease/Gas ID "not assigned"
Walhalla (Glenrose)
Fayette County, Texas
API No. 42-149-32930

I, Mike Murphy, Field Engineer, certify: that I am employed by Weatherford; that I did on the days of January 10 through January 22, 2000, conduct or supervise the taking of a steering tool survey from a depth of 13419.0 feet to a depth of 14752.0 feet; that the data is true, correct, complete and within the limitations of the tool as set forth by Weatherford; that I am authorized and qualified to make this report; that this survey was conducted at the request of Patterson Petroleum for the Well Lee #1H RE, in Fayette County, Texas; and that I have reviewed this report and find that it conforms to the principles and procedures as set forth by Weatherford.

Sincerely,
Weatherford

A large black rectangular box redacting the signature of Mike Murphy.

Mike Murphy
Field Engineer

MM/mc
Job # 0002

Seq # -	Measured depth (ft)	Incl angle (deg)	Azimuth angle (deg)	Course length (ft)	TVD depth (ft)	Vertical section (ft)	Displ +N/S- (ft)	Displ +E/W- (ft)	Total displ (ft)	At Azim (deg)	DLS (deg/ 100f)	Srvy tool type	Tool qual type
31	12976.00	34.30	299.10	32.00	12941.07	421.02	249.16	-344.91	425.49	305.84	10.04	MWD	-
32	13007.00	37.90	297.90	31.00	12966.12	439.28	257.87	-360.97	443.61	305.54	11.83	MWD	-
33	13039.00	41.80	296.80	32.00	12990.68	459.78	267.28	-379.18	463.91	305.18	12.38	MWD	-
34	13071.00	46.30	296.80	32.00	13013.67	482.02	277.31	-399.03	485.93	304.80	14.06	MWD	-
35	13103.00	52.30	298.50	32.00	13034.53	506.27	288.57	-420.50	510.00	304.46	19.18	MWD	-
36	13134.00	56.40	300.60	31.00	13052.59	531.44	301.00	-442.40	535.09	304.23	14.32	MWD	-
37	13166.00	58.50	301.00	32.00	13069.81	558.37	314.82	-465.57	562.02	304.07	6.65	MWD	-
38	13198.00	60.40	302.40	32.00	13086.08	585.85	329.30	-489.01	589.55	303.96	7.03	MWD	-
PR	13256.00	60.40	302.40	58.00	13114.72	636.10	356.32	-531.59	639.97	303.83	0.00	PROJ	-

[(c)2000 Anadrill IDEAL ID6_OC_07]


FAYETTE COUNTY, TEXAS

SAMUEL P. BROWN
A - 22

WEATHERFORD
CERTIFIED BOTTOM HOLE LOCATION

Operator
Well Name
Total MD
True Vertical Depth
North
Total West
Horizontal Displacement
Displacement Bearing
Survey Dates

Patterson Petroleum
Lee #1H RE
14752 0
13078 5
1131 4
1805 5
2130 7
North 57 9 West (True)
January 10-22, 2000




EXISTING DRAINHOLE DATA
SURFACE LOC. TO P.O.E.
N 48°30'39"W 332 54'
P.O.E. TO S.T.
N 21°21'32"W 123.66'
P.O.E. TO B.H.L. A-2
N 18°39'15"W 386 24'

J.M. HENSLEY
A - 54

- ① CAROLYN A LEE
VOL 377/PG 299
161 06 ACRES IN UNIT
- ② JAMES O VASUT
ALLEN O VASUT
VOL 754/PG 422
0 93 ACRES IN UNIT
- ③ EARLINE VASUT POLASEK, et vir
VOL 822/PG 730
0 93 ACRES IN UNIT
- ④ VERONICA M VASUT
VOL 754/PG 422
0 93 ACRES IN UNIT
- ⑤ RAY ANTHONY WILLIAMS
VOL 970/PG 434
0 93 ACRES IN UNIT
- ⑥ GARY A WESSELS, et ux
VOL 1031/PG 752
0 93 ACRES IN UNIT
- ⑦ CAROLYN SUE WASUT BRNEMAN
VOL 760/PG 729
0 93 ACRES IN UNIT

NOTE WELL IS LOCATED 1 6 MILES SOUTH OF OLOENBERG, TEXAS
GROUND ELEVATION 432 FEET
WELL: LEE No 1 RE-ENTRY
OPERATOR PATTERSON PETROLEUM, INC
FEE CAROLYN LEE

I, WILLIAM J. CASH, JR., DO HEREBY CERTIFY THAT THE ABOVE PLAT CORRECTLY SHOWS THE WELL AS LOCATED ON THE GROUND NOVEMBER 23 1999



SURFACE LOCATION LATITUDE 29°57'22.17" LONGITUDE 96°45'14.57"
BEARINGS BASED ON GRID NORTH OBTAINED FROM G.P.S. OBSERVATIONS N.A.D. 1927 SOUTH CENTRAL ZONE

WILLIAM J. CASH, JR.
REGISTERED PROFESSIONAL SURVEYOR
No. 3808

Patterson
Petroleum, Inc.

LEE No. 1 RE-ENTRY
166.64 ACRE
UNIT

MUSTANG ENGINEERING, INC.
317 E. HEMPSTEAD
GIDDINGS, TEXAS
PHONE: 409 542-1146
FAX: 409 542-3353

DATE NOVEMBER 27, 1999 SCALE 1" = 1000'
FIELD BOOK 990 PAGE 05 DRAWN BY J.R.H.
DISK FILE REVISED:

Seq # -	Measured depth (ft)	Incl angle (deg)	Azimuth angle (deg)	Course length (ft)	TVD depth (ft)	Vertical section (ft)	Displ +N/S- (ft)	Displ +E/W- (ft)	Total displ (ft)	At Azim (deg)	DLS (deg/ 100f)	Srvy tool type	Tool qual type
1	11646.00	6.10	333.30	0.00	11631.14	303.13	200.68	-237.23	310.73	310.23	0.00	TIP	-
2	11700.00	5.90	331.50	54.00	11684.84	307.75	205.68	-239.84	315.96	310.62	0.51	MWD	-
3	11798.00	3.00	290.50	98.00	11782.56	314.48	211.01	-244.65	323.08	310.78	4.22	MWD	-
4	11862.00	3.90	210.97	64.00	11846.47	316.27	209.73	-247.34	324.29	310.30	6.98	SLIMS	-
5	11894.00	4.60	205.34	32.00	11878.39	316.29	207.64	-248.45	323.79	309.89	2.54	SLIMS	-
6	11925.00	5.30	203.94	31.00	11909.27	316.15	205.20	-249.56	323.10	309.43	2.29	SLIMS	-
7	11957.00	5.10	201.90	32.00	11941.14	315.92	202.53	-250.69	322.28	308.93	0.85	MWD	-
8	12021.00	2.80	202.50	64.00	12004.98	315.50	198.45	-252.35	321.04	308.18	3.59	MWD	-
9	12053.00	2.20	208.20	32.00	12036.95	315.44	197.19	-252.94	320.72	307.94	2.03	MWD	-
10	12084.00	1.20	262.90	31.00	12067.94	315.72	196.62	-253.55	320.85	307.79	5.80	MWD	-
11	12116.00	1.30	291.10	32.00	12099.93	316.35	196.71	-254.22	321.44	307.73	1.93	MWD	-
12	12180.00	1.40	265.10	64.00	12163.91	317.73	196.91	-255.67	322.71	307.60	0.96	MWD	-
13	12211.00	1.40	265.20	31.00	12194.91	318.37	196.84	-256.43	323.27	307.51	0.01	MWD	-
14	12245.00	1.10	269.30	34.00	12228.90	319.01	196.80	-257.17	323.83	307.43	0.92	MWD	-
15	12309.00	1.20	278.80	64.00	12292.88	320.19	196.90	-258.44	324.90	307.30	0.34	MWD	-
16	12372.00	1.50	280.20	63.00	12355.87	321.60	197.14	-259.91	326.22	307.18	0.48	MWD	-
17	12436.00	1.60	285.70	64.00	12419.84	323.28	197.53	-261.59	327.80	307.06	0.28	MWD	-
18	12499.00	1.30	300.20	63.00	12482.82	324.85	198.13	-263.06	329.33	306.99	0.75	MWD	-
19	12563.00	1.50	310.10	64.00	12546.80	326.39	199.04	-264.33	330.88	306.98	0.49	MWD	-
20	12627.00	1.49	317.10	64.00	12610.78	327.99	200.19	-265.53	332.54	307.01	0.29	MWD	-
21	12658.00	1.90	316.40	31.00	12641.77	328.86	200.85	-266.16	333.44	307.04	1.32	MWD	-
22	12690.00	4.30	316.40	32.00	12673.72	330.50	202.11	-267.35	335.15	307.09	7.50	MWD	-
23	12722.00	6.40	312.20	32.00	12705.58	333.36	204.17	-269.50	338.11	307.15	6.67	MWD	-
24	12753.00	9.10	304.50	31.00	12736.29	337.46	206.72	-272.80	342.28	307.15	9.31	MWD	-
25	12785.00	13.00	300.30	32.00	12767.70	343.57	209.97	-278.00	348.39	307.06	12.44	MWD	-
26	12817.00	17.20	300.30	32.00	12798.58	351.90	214.18	-285.20	356.66	306.91	13.13	MWD	-
27	12849.00	20.90	300.30	32.00	12828.83	362.33	219.45	-294.21	367.04	306.72	11.56	MWD	-
28	12880.00	24.10	302.60	31.00	12857.46	374.16	225.65	-304.32	378.85	306.56	10.70	MWD	-
29	12912.00	27.60	300.10	32.00	12886.26	388.08	232.89	-316.24	392.74	306.37	11.45	MWD	-
30	12944.00	31.10	299.60	32.00	12914.15	403.75	240.69	-329.84	408.33	306.12	10.96	MWD	-

[illegible]

PATTERSON PETROLEUM, INC
LEE No. 1 RE-ENTRY
EXISTING WELLHEAD

SURFACE LOC. TO P O E
N 48°30'39"W 332 54'
P O E TO S T.
N 21°21'32"W 123.66'
P O E TO B H L A-2
N 18°39'15"W 386 24'

REVISED





Conveyance Document

Please note the following draft deed/assignment has been prepared by the seller in advance of sale. The successful buyer agrees to accept title to the lots pursuant to said deeds or assignments. Seller shall not be obligated or required to modify or change said deeds or assignments unless a correction is required to properly convey the interests being sold.

ASSIGNMENT & BILL OF SALE

STATE OF TEXAS §
 §
COUNTY OF FAYETTE §

That Effective as December 1, 2025 [REDACTED], whose address is [REDACTED], as Assignor, hereby forever ASSIGNS, TRANSFERS, QUIT CLAIMS AND CONVEYS all (100%) of Assignor's Leasehold Working Interest ONLY (*specifically excluding and reserving unto itself —without limitation—any fee mineral interest, royalty interest, non-participating royalty interest, executive rights, overriding royalty interest, and the like*) to the following party, being known as Assignee:

BEING SPECIFICALLY LIMITED TO the interests received by Assignor ONLY which Assignor received by virtue of that Assignment, Bill of Sale and Conveyance executed February 1, 2022, and filed as Book 2041, Page 706, Official Public Records of Fayette County, State of Texas.

In and to those certain tract(s), parcel(s), lease(s), well(s) and/or other real property associated with the Leasehold Working Interest only and located in the referenced Parish/County and State (the "Property"), described as follows:

SEE EXHIBIT "A"

TO HAVE AND TO HOLD all of Assignor's right, title, and interest in and to the Property, as described herein, together with all and singular the rights and appurtenances belonging in any way to Assignor, by Assignee and Assignee's heirs, personal representatives, successors and assigns forever. Assignee agrees to assume responsibility, including but not limited to the payment of any and all expenses related to the property in any way, including ad valorem taxes and/or property taxes assessed to the Property through and beyond the calendar year 2025. ASSIGNEE FURTHER AGREES TO HOLD ASSIGNOR HARMLESS FOR LIABILITY OF ANY KIND, NATURE OR SORT ASSOCIATED WITH THE PROPERTY, INCLUDING, BUT NOT LIMITED TO, PLUGGING OR ENVIRONMENTAL MATTERS ASSOCIATED WITH THE PROPERTY, REGARDLESS OF DATE.

Assignor and Assignee agree to take all further actions and execute, acknowledge, and deliver all necessary or useful documents to carry out the purpose of this Assignment, given without Warranty of any kind or manner, express or implied. THIS ASSIGNMENT IS MADE WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED.

EXECUTED as of the date herein but effective starting with production and the revenues attributed thereto on and after December 1, 2025.

ASSIGNOR:

BY: _____
[Redacted Signature]

STATE OF TEXAS §
 §
COUNTY OF UPSHUR §

This foregoing instrument was acknowledged before me on _____, 2025 by [Redacted]
[Redacted]

Notary Public State of Texas

ASSIGNEE:

BY: _____

STATE OF _____ §
COUNTY OF _____ §

This foregoing instrument was acknowledged before me on _____, 2025 by
_____ in his capacity as _____ of _____.

Notary Public State of _____

EXHIBIT A

Well:

API: 42-149-32930, Lee #1H, operated by Leexus Oil LLC, located in the Samuel P. Brown Survey, A-22, Fayette County, Texas